

The `tugboat` package*

The *TUGboat* team

2020-11-14

Contents

1	Document preambles	2
2	Introduction	2
2.1	Summary of control sequences	2
3	\LaTeX 2ϵ <i>TUGboat</i> class file	6
3.1	Setup and options	6
3.2	Resetting at start of paper	10
3.3	Helpful shorthands (common code with Plain styles)	11
3.4	Abbreviations and logos	12
3.5	General typesetting rules	17
3.6	Utility registers and definitions	17
3.7	Ragged right and friends	19
3.8	Assorted user-level markup	20
3.9	Reviews	23
3.10	Dates, volume and issue numbers, etc.	23
3.11	Page dimensions, glue, penalties, etc.	27
3.12	Messing about with the \LaTeX logo	28
3.13	Authors, contributors, addresses, signatures	29
3.14	Article title	36
3.15	Section titles	37
3.16	Section headings	41
3.17	Appendices	43
3.18	References	44
3.19	Title references	45
3.20	Float captions	45
3.21	Size changing commands	46
3.22	Lists and other text inclusions	47
3.23	Some fun with <code>verbatim</code>	48
3.24	Bibliography	50

*This file has version number v2.24, last revised 2020-11-14

3.25	Registration marks	54
3.26	Running headers and footers	54
3.27	Output routine	56
3.28	Font-related definitions and machinery	56
3.29	Miscellaneous definitions	57
3.30	Initialization	59
4	L^AT_EX 2_ε Proceedings class	59
4.1	Proceedings titles	61
4.2	Section divisions	66
5	Plain T_EX styles	67
6	The L^AT_EX 2_ε compatibility-mode style files	67

1 Document preambles

```

1 <ltugboatcls | ltugproccls | ltugcomm>\NeedsTeXFormat{LaTeX2e}[1994/12/01]
2 <*dtx>
3 \ProvidesFile           {tugboat.dtx}
4 </dtx>
5 <ltugboatcls>\ProvidesClass {ltugboat}
6 <ltugproccls>\ProvidesClass {ltugproc}
7 <ltugboatsty>\ProvidesPackage{ltugboat}
8 <ltugprocsty>\ProvidesPackage{ltugproc}
9 <ltugcomm>  \ProvidesPackage{ltugcomm}
10           [2020-11-14 v2.24
11 <ltugboatcls>           TUGboat journal class%
12 <ltugproccls>          TUG conference proceedings class%
13 <ltugboatsty | ltugprocsty> TUG compatibility package%
14 <ltugcomm>             TUGboat 'common macros' package%
15 <*dtx>
16
17 </dtx>
18           ]
19 <*dtx>
20 \newif\ifoldlongtable
21 </dtx>

```

2 Introduction

This file contains all the macros for typesetting *TUGboat* with both plain T_EX and L^AT_EX 2_ε.

2.1 Summary of control sequences

Abbreviations. Just a listing with indications of expansion where that may not be obvious. For full definitions, see real code below (Section 3.4).

<code>\AllTeX</code>	(\mathbb{A}) \TeX
<code>\AMS</code>	American Mathematical Society
<code>\AmSTeX</code>	
<code>\aw</code>	A-W (abbreviation for Addison-Wesley)
<code>\API</code>	
<code>\AW</code>	Addison-Wesley
<code>\BibTeX</code>	
<code>\CandT</code>	Computers & Typesetting
<code>\ConTeXt</code>	Con \TeX t
<code>\Cplusplus</code>	C++
<code>\DTD</code>	
<code>\DVD</code>	
<code>\DVI</code>	
<code>\DVIPDFMx</code>	DVIPDFM <i>x</i>
<code>\DVItOVDU</code>	DVItOVDU
<code>\ECMA</code>	
<code>\EPS</code>	
<code>\eTeX</code>	ε - \TeX
<code>\ExTeX</code>	ε_X \TeX
<code>\Ghostscript</code>	
<code>\Hawaii</code>	Hawai'i
<code>\HTML</code>	
<code>\ISBN</code>	ISBN
<code>\ISO</code>	
<code>\ISSN</code>	ISSN
<code>\JTeX</code>	
<code>\JoT</code>	The Joy of \TeX
<code>\LaTeX</code>	
<code>\LyX</code>	
<code>\macOS</code>	mac OS
<code>\MacOSX</code>	Mac OS X
<code>\MathML</code>	
<code>\Mc</code>	M with raised c
<code>\MF</code>	METAFONT
<code>\mf</code>	METAFONT
<code>\MFB</code>	The Metafontbook
<code>\MP</code>	METAPOST
<code>\mp</code>	MetaPost (in text only: still ‘ \mp ’ in math)
<code>\OMEGA</code>	Omega ‘logo’ (Ω)
<code>\OCP</code>	Omega compiled process
<code>\OOXML</code>	
<code>\OTP</code>	Omega translation process
<code>\mtex</code>	multilingual \TeX
<code>\NTS</code>	New Typesetting System
<code>\pcMF</code>	pcMF
<code>\PCTeX</code>	

<code>\pcTeX</code>	
<code>\Pas</code>	Pascal
<code>\PiCTeX</code>	
<code>\plain</code>	plain (in typewriter font)
<code>\POBox</code>	P. O. Box
<code>\PS</code>	PostScript (with hyphenation)
<code>\SC</code>	Steering Committee
<code>\SGML</code>	SGML
<code>\SliTeX</code>	
<code>\slMF</code>	Metafont, slanted: deprecated: use <code>\textsl</code> instead
<code>\stTeX</code>	TeX for the Atari ST
<code>\SVG</code>	
<code>\TANGLE</code>	
<code>\TB</code>	The TeXbook
<code>\TeX</code>	(Although nearly every package defines this, most, including plain, are missing the spacefactor adjustment)
<code>\TeXhax</code>	
<code>\TeXMaG</code>	(defunct)
<code>\TeXtures</code>	
<code>\TeXXeT</code>	
<code>\Thanh</code>	
<code>\TFM</code>	TFM
<code>\TUB</code>	<i>TUGboat</i>
<code>\TUG</code>	TeX Users Group
<code>\UNIX</code>	
<code>\VAX</code>	
<code>\VnTeX</code>	
<code>\VorTeX</code>	
<code>\XeT</code>	
<code>\XeTeX</code>	reflected and lowered first ‘E’
<code>\XeLaTeX</code>	with extra space before ‘L’
<code>\XML</code>	
<code>\WEB</code>	
<code>\WEAVE</code>	
<code>\WYSIWYG</code>	

Macros for things that are slightly more significant.

<code>\NoBlackBoxes</code>	turns off marginal rules marking overfull boxes
<code>\BlackBoxes</code>	turns them back on
<code>\newline</code>	horizontal glue plus a break
<code>\ifundefined#1</code>	checks argument with <code>\csname</code> against <code>\relax</code>
<code>\topsmash</code>	smashes above baseline (from AMSTeX)
<code>\botsmash</code>	smashes below baseline (from AMSTeX)

<code>\smash</code>	smashes both (from plain)
<code>\ulap</code>	lap upwards
<code>\dlap</code>	lap downwards
<code>\xlap</code>	reference point at center horizontally; 0 width
<code>\ylap</code>	reference point at center vertically; 0 height, depth
<code>\zlap</code>	combination <code>\xlap</code> and <code>\ylap</code>
<code>\basezero</code>	to avoid insertion of <code>baselineskip</code> and <code>lineskip</code> glue
<code>\nullhrule</code>	empty <code>\hrule</code>
<code>\nullvrule</code>	empty <code>\vrule</code>
<code>\makestrut[#1;#2]</code>	ad hoc struts; #1=height, #2=depth
<code>\today</code>	today's date
<code>\SetTime</code>	converts <code>\time</code> to hours, minutes
<code>\now</code>	displays time in hours and minutes
<code>\Now</code>	shows current date and time
<code>\ifPrelimDraft</code>	flag to indicate status as preliminary draft
<code>\rtitlex</code>	<i>TUGboat</i> volume and number info for running head
<code>\midrttitle</code>	information for center of running head
<code>\rtitlenexttopage</code>	next to page number in running head
<code>\HorzR@gisterRule</code>	pieces of registration marks ('trimmarks')
<code>\DownShortR@gisterRule</code>	
<code>\UpShortR@gisterRule</code>	
<code>\ttopregister</code>	top registration line with 'T' in center
<code>\tbotregister</code>	bottom registration line with inverted 'T' in center
<code>\topregister</code>	register actually used
<code>\botregister</code>	
<code>\raggedskip</code>	parameters used for ragged settings
<code>\raggedstretch</code>	
<code>\raggedparfill</code>	
<code>\raggedspaces</code>	
<code>\raggedright</code>	
<code>\raggedleft</code>	
<code>\raggedcenter</code>	
<code>\normalspaces</code>	
<code>\raggedbottom</code>	
<code>\bull</code>	square bullet
<code>\cents</code>	'cents' sign
<code>\Dag</code>	superscripted dagger
<code>\careof</code>	c/o
<code>\sfrac</code>	slashed fraction (arguments optionally separated by a slash)
<code>\cs</code>	control sequence name
	<code>\cs{name}→\name</code>
<code>\env</code>	environment name

	<code>\env{name}→\begin{name}</code>
<code>\meta</code>	meta-argument name
	<code>\meta{name}→⟨name⟩</code>
<code>\dash</code>	en-dash surrounded by thinspaces; only breakable AFTER
<code>\Dash</code>	em-dash, as above
<code>\hyph</code>	permit automatic hyphenation after an actual hyphen
<code>\slash</code>	'breakable' slash
<code>\nth</code>	for obtaining '1 st ', '2 nd ', '3 rd ', etc.
<code>\tubissue</code>	gets <code>\TUB</code> followed by volume and issue numbers
<code>\xEdNote</code>	Editor's Note:
<code>\Review:</code>	Review: (for title of book review article)
<code>\reviewitem</code>	begin data for item being reviewed
<code>\revauth</code>	with one argument, author(s) of item being reviewed
<code>\revtitle</code>	with one argument, title of ...
<code>\revpubinfo</code>	with one argument, other info pertaining to ...
<code>\endreviewitem</code>	end data for item being reviewed
<code>\booktitle</code>	with one argument, format book title as straight text
<code>\Input</code>	<code>\input</code> with some other bookkeeping for case where multiple articles are put together
<code>\TBremark</code>	reminder to <i>TUGboat</i> editorial staff
<code>\TBenableRemarks</code>	enable <code>\TBremarks</code> (normally suppressed)
<code>\pagexref</code>	used to write out page numbers to screen and external files
<code>\pagexrefON</code>	
<code>\pagexrefOFF</code>	
<code>\xrefto</code>	used for symbolic cross-reference to other pages
<code>\xreftoON</code>	in <i>TUGboat</i>
<code>\xreftoOFF</code>	
<code>\TBdriver</code>	marks code which only takes effect when articles are run together in a driver file
<code>\signaturemark</code>	items for signatures
<code>\signaturewidth</code>	

3 L^AT_EX 2_ε TUGboat class file

3.1 Setup and options

Check for reloading. Hmm. . . Does this happen with L^AT_EX 2_ε classes? Probably, in fact, as well that it doesn't, since the `\tugstyinit` referenced here doesn't exist; however, it's possible that we might need a similar mechanism in the future, so we retain its skeleton, without fleshing out the `\tugstyinit` bones.

22 `⟨*ltugboatcls⟩`

```

23 \csname tugstyloaded@\endcsname
24 \def\tugstyloaded@{\tugstyinit\endinput}

    Acquire a name for this class if we don't already have one (by virtue of having
    been loaded by tugproc.cls). This name will be used in error messages and the
    like.

25 \providecommand{\@tugclass}{ltugboat}

    Warnings/error messages/information messages — if we're using LATEX 2ε we
    can use the \Class* commands:

26 \def\TBInfo{\ClassInfo{\@tugclass}}
27 \def\TBError{\ClassError{\@tugclass}}
28 \def\TBWarning{\ClassWarning{\@tugclass}}
29 \def\TBWarningNL{\ClassWarningNoLine{\@tugclass}}

    draft vs. preprint vs. final.

30 \DeclareOption{draft}{%
31   \AtEndOfClass{%
32     \setcounter{page}{901}%
33     %
34     % Put a question mark into the page number in draft mode.
35     \let\tuborigthepage = \thepage
36     \def\thepage{%
37       \ifnum\value{page}>900
38         \textsl{?}\texorpdfstring{\,}{\@arabic{\numexpr\the\c@page-900\relax}}}%
39       \else
40         \arabic{page}%
41       \fi}%
42     %
43     \BlackBoxes
44     \def\MakeRegistrationMarks{}%
45     \PrelimDrafttrue
46   }%
47 }
48
49 \newif\ifpreprint
50 \def\preprint{\preprinttrue}
51 \DeclareOption{preprint}{%
52   \preprinttrue
53 }
54
55 \newif\iftubfinaloption % [final]
56 \DeclareOption{final}{%
57   \tubfinaloptiontrue
58   \AtEndOfClass{%
59     \let\thepage=\tuborigthepage
60     \NoBlackBoxes
61     % Insert draft date into the header even with [final], if we are not
62     % doing a production run. (tugboat.dates sets up page numbers
63     % above 900 in such pseudo-draft mode.) We use [final] in the first

```

```

64 % place for this case because draft can change page layout, wrt
65 % registration marks, etc.
66 \ifnum\value{page}>900 \PrelimDrafttrue \else \PrelimDraftfalse \fi
67 \@tubrunningfull
68 }%
69 }

```

We want to use `hyperref`'s `\texorpdfstring`, e.g., in the `draft` option above. If `hyperref` is not loaded, define our own trivial fallback to expand to the `TEX` (first) argument.

```

70 \AtBeginDocument{%
71 \ifx\undefined\texorpdfstring
72 \DeclareRobustCommand{\texorpdfstring}[2]{#1}%
73 \fi
74 }

```

TUGboat uses only 10pt for the main text.

```

75 \DeclareOption{11pt}{%
76 \TBWarning{The \@tugclass\space class only supports 10pt fonts:
77 \MessageBreak option \CurrentOption\space ignored}%
78 }
79 \DeclareOption{12pt}{\csname ds@11pt\endcsname}

```

Similarly, ignore one/two-side options.

```

80 \DeclareOption{oneside}{\TBWarning{Option \CurrentOption\space ignored}}
81 \DeclareOption{twoside}{\ds@oneside}

```

There are these people who seem to think `tugproc` is an option rather than a class... (Note that it's already been filtered out if we were calling from `ltugproc`.)

```

82 \DeclareOption{tugproc}{%
83 \TBWarning{Option \CurrentOption\space ignored: use class ltugproc
84 instead of \@tugclass}%
85 }

```

Option `rawcite` (the default) specifies the default citation mechanism (as built-in to \LaTeX); option `harvardcite` specifies the author-date citation mechanism defined in section 3.24 below.

```

86 \DeclareOption{rawcite}{\let\if@Harvardcite\iffalse}
87 \DeclareOption{harvardcite}{\let\if@Harvardcite\ifftrue}

```

Option `extralabel` (the default) specifies that the publication years of two successive references with otherwise identical labels will be tagged with distinguishing letters; option `noextralabel` causes those letters to be suppressed. Note that (a) no two references will in any case have the same labels in the default (plain) `rawcite` setup, and that (b) the distinguishing letters appear in the labels themselves; the reader can work out the correspondence one with the other...

```

88 \DeclareOption{extralabel}{\let\UseExtraLabel\@firstofone}
89 \DeclareOption{noextralabel}{\let\UseExtraLabel\@gobble}

```


The section-numbering style, so that we can allow the same heading layout as in the plain macros.

```
90 \DeclareOption{numbersec}{\let\if@numbersec\iftrue}
91 \DeclareOption{nonumber}{\let\if@numbersec\iffalse}
```

Minimal running headers/footers contain just the TUGboat volume/issue identification and page numbers. ‘runningfull’ is the default, and includes title and author. ‘runningoff’ makes both headers and footers empty.

```
92 \DeclareOption{runningoff}{\AtEndOfClass{\@tubrunningoff}}
93 \DeclareOption{runningminimal}{\AtEndOfClass{\@tubrunningminimal}}
94 \DeclareOption{runningfull}{\AtEndOfClass{\@tubrunningfull}}
```

`\if@tubtwocolumn` Occasionally (tb107jackowski, and past conference preprints), we need the option `onecolumn`. For alternative approaches to one-column articles, see `tb92hagen-euler` and `tb78milo`.

```
95 \newif\if@tubtwocolumn \@tubtwocolumntrue
96 \DeclareOption{onecolumn}{\@tubtwocolumnfalse}
```

`\ifsecondcolstart` Occasionally, we need to start an article in the second column of a page, due to splicing with a previous article. Let’s try declaring that. Then, before `\maketitle`, we’ll force the move to the second column.

```
97 \newif\iftubsecondcolstart
98 \DeclareOption{secondcolstart}{\tubsecondcolstarttrue}
```

Any other options, we pass on to `article.cls` before we load it:

```
99 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
```

Request default options (draft mode, standard citation, numbered sections, etc.), process all options, and then get the base document class on top of which we reside, namely `article`. Always call `article` with the `twoside` option, since we want the ability to have odd/even headers/footers.

```
100 \ExecuteOptions{draft,extralabel,numbersec,rawcite,runningminimal}
101 \ProcessOptions
102 \LoadClass[twoside]{article}
```

Various fonts used throughout. Some effort has been made to suppress these things with explicit sizes in the macro name (`\tensl` is an example below), but keeping in step with the documentation is one thing that restricts such a move.

```
103 \def\sectitlefont{\fontfamily\sfdefault\fontseries{bx}\fontshape{n}%
104 \fontsize\@xvipt\stbaselineskip\selectfont}
105 \def\tensl{\fontseries{m}\fontshape{sl}\fontsize\@xpt\@xipt
106 \selectfont}
```

This font selection command is used *only* for the ‘Editor’s Note’ introduction to notes; sadly it makes explicit reference to CMR, and Barbara Beeton has agreed that the reference may be constructed to use the current family such that, if no upright italic is defined, ordinary italics are used. A project for later...

```

107 \def\EdNoteFont{\fontfamily{cmr}\fontseries{m}\fontshape{ui}%
108     \selectfont}
109 \ltugboatcls

```

If Ulrik Vieth's `mflgo.sty` is around, we'll use it. Otherwise (pro tem, at least) we'll warn the user and define the absolute minimum of machinery that *TUGboat* requires (that which was used prior to the invention of L^AT_EX 2_ε).

```

110 \*common
111 \IfFileExists{mflgo.sty}%
112   {\RequirePackage{mflgo}}%
113 \ltugcomn {\TBWarning
114 \ltugcomn} {\PackageWarning{ltugcomn}
115   {Package mflgo.sty not available --\MessageBreak
116     Proceeding to emulate mflgo.sty}
117 \DeclareRobustCommand{\logofamily}{%
118   \not@math@alphabet\logofamily\relax
119   \fontencoding{U}\fontfamily{logo}\selectfont}
120 \DeclareTextFontCommand{\textlogo}{\logofamily}
121 \def\MF{\textlogo{META}\-\textlogo{FONT}\@}
122 \def\MP{\textlogo{META}\-\textlogo{POST}\@}
123 \DeclareFontFamily{U}{logo}{}
124 \DeclareFontShape{U}{logo}{m}{n}{%
125   <8><9>gen*logo%
126   <10><10.95><12><14.4><17.28><20.74><24.88>logo10%
127 }{}
128 \DeclareFontShape{U}{logo}{m}{sl}{%
129   <8><9>gen*logosl%
130   <10><10.95><12><14.4><17.28><20.74><24.88>logosl10%
131 }{}
132 \DeclareFontShape{U}{logo}{m}{it}{%
133   <->ssub*logo/m/sl%
134 }{}%
135 }

```

3.2 Resetting at start of paper

`\ResetCommands` We store a set of commands that should be executed at the start of each paper, before any paper-specific customisation. These commands (stored in the token register `\ResetCommands`) include things such as resetting section and footnote numbers, re-establishing default settings of typesetting parameters, and so on. The user (or more typically, editor) may execute the commands by using the command `\StartNewPaper`. Things I've not yet thought of may be added to the list of commands, by

```

136 \newtoks\ResetCommands
137 \ResetCommands{%
138   \setcounter{part}{0}%
139   \setcounter{section}{0}%
140   \setcounter{footnote}{0}%
141   \authornumber\z@

```

```

142 }
143 \newcommand{\AddToResetCommands}[1]{%
144   \AddToResetCommands\expandafter{\AddToResetCommands#1}%
145 }

```

3.3 Helpful shorthands (common code with Plain styles)

`\makeescape`, `\makecomment` allow users to change the category code of a single character a little more easily. These require that the character be addressed as a control sequence: e.g., `\makeescape\` will make `'/'` an escape character.

```

146 <!*latex>
147 \def\makeescape#1{\catcode'#1=0 }
148 \def\makebgroup#1{\catcode'#1=1 }
149 \def\makeegroup#1{\catcode'#1=2 }
150 \def\makemath #1{\catcode'#1=3 }
151 </!latex>
152 <*latex>
153 \def\makeescape#1{\catcode'#1=\z0}
154 \def\makebgroup#1{\catcode'#1=\@ne}
155 \def\makeegroup#1{\catcode'#1=\tw@}
156 \def\makemath #1{\catcode'#1=\thr@@}
157 </latex>
158 \def\makealign #1{\catcode'#1=4 }
159 \def\makeeol #1{\catcode'#1=5 }
160 \def\makeparm #1{\catcode'#1=6 }
161 \def\makesup #1{\catcode'#1=7 }
162 \def\makesub #1{\catcode'#1=8 }
163 \def\makeignore#1{\catcode'#1=9 }
164 \def\makespace #1{\catcode'#1=10 }
165 \def\makeletter#1{\catcode'#1=11 }
166 \chardef\other=12
167 \let\makeother\@makeother
168 \def\makeactive#1{\catcode'#1=13 }
169 \def\makecomment#1{\catcode'#1=14 }

```

`\savecat#1` and `\restorecat#1` will save and restore the category of a given character. These are useful in cases where one doesn't wish to localize the settings and therefore be required to globally define or set things.

```

170 \def\savecat#1{%
171   \expandafter\xdef\csname\string#1savedcat\endcsname{\the\catcode'#1}
172 \def\restorecat#1{\catcode'#1=\csname\string#1savedcat\endcsname}
173 <!latex>\savecat\@
174 <!latex>\makeletter\@

```

`\SaveCS#1` and `\RestoreCS#1` save and restore 'meanings' of control sequences. Again this is useful in cases where one doesn't want to localize or where global definitions clobber a control sequence which is needed later with its 'old' definition.

```

175 \def\SaveCS#1{\expandafter\let\csname saved@@#1\expandafter\endcsname

```

```

176 \csname#1\endcsname}
177 \def\RestoreCS#1{\expandafter\let\csname#1\expandafter\endcsname
178 \csname saved@@#1\endcsname}

```

To distinguish between macro files loaded

```

179 \def\plaintubstyle{plain}
180 \def\latextubstyle{latex}

```

Control sequences that were first defined in L^AT_EX 2_ε of 1995/06/01 (or later), but which we merrily use. Only define if necessary:

```

181 \providecommand\hb@xt@{\hbox to}
182 \providecommand\textsuperscript[1]{\ensuremath{\m@th
183     ^{\mbox{\fontsize\sf@size\z@
184     \selectfont #1}}}}

```

(Note that that definition of `\textsuperscript` isn't robust, but probably doesn't need to be... What's more, it doesn't appear in the mythical 2.09 version of the package.)

3.4 Abbreviations and logos

Font used for the METAFONT logo, etc.

```

185 \DeclareRobustCommand{\AllTeX}{(\La\kern-.075em)\kern-.075em\TeX}
186 \def\AMS{American Mathematical Society}
187 \def\AMS{$\mathcal{A}$\kern-.1667em\lower.5ex\hbox
188     {$\mathcal{M}$}\kern-.125em$\mathcal{S}$}
189 \def\AmSLaTeX{\AmS-\LaTeX}
190 \def\AmSTeX{\AmS-\TeX}
191 \def\ANSI{\acro{ANSI}}
192 \def\API{\acro{API}}
193 \def\ASCII{\acro{ASCII}}
194 \def\aw{\acro{A\kern.04em\raise.115ex\hbox{-}W}}
195 \def\AW{Addison\kern.1em-\penalty\z@\hskip\z@skip Wesley}
196 %
197 % make \BibTeX work in slanted contexts too; it's common in titles, and
198 % especially burdensome to hack in .bib files.
199 \def\Bib{%
200   \ifdim \fontdimen1\font>0pt
201     B{\SMC\SMC IB}%
202   \else
203     B\textsc{ib}%
204   \fi
205 }
206 \def\BibLaTeX{\Bib\kern.02em \LaTeX}
207 \def\BibTeX{\Bib\kern-.08em \TeX}
208 % no good way to determine bold font, and we want to lose the kern, too:
209 % (we \let BibTeX to this in maketitle)
210 \def\bfBibTeX{B{\SMC\SMC IB}\TeX}
211 %
212 \def\BSD{\acro{BSD}}

```

```

213 \def\CandT{\textsl{Computers \& Typesetting}}
214 % must not define \CJK, because the CJK package does.
    We place our \kern after \- so that it disappears if the hyphenation is taken:
215 \def\ConTeXt{C\kern-.0333emon\-\kern-.0667em\TeX\kern-.0333emt}
216 \def\CMkIV{\ConTeXt\ \MkIV}
217 \def\Cplusplus{C\plusplus}
218 \def\plusplus{\raisebox{.7ex}{$_{++}$}}
219 \def\CPU{\acro{CPU}}
220 \def\CSzabbr{\ensuremath{\cal C}\kern-.1667em\lower.5ex\hbox{\$ \cal S}}
221 \def\CSS{\acro{CSS}}
222 \def\CSTUG{\CSzabbr\acro{TUG}}
223 \def\CSV{\acro{CSV}}
224 \def\CTAN{\acro{CTAN}}
225 \def\DTD{\acro{DTD}}
226 \def\DTK{\acro{DTK}}
227 \def\DVD{\acro{DVD}}
228 \def\DVI{\acro{DVI}}
229 \def\DVIPDFMx{\acro{DVIPDFM}$x$}
230 \def\DVItOVDU{DVItO\kern-.12em VDU}
231 \def\ECMA{\acro{ECMA}}
232 \def\EPS{\acro{EPS}}
233 % no line break at this hyphen please
234 \DeclareRobustCommand{\eTeX}{\ensuremath{\varepsilon}\mbox{-}\kern-.125em\TeX}
235 \DeclareRobustCommand{\ExTeX}{%
236   \ensuremath{\textstyle\varepsilon_{\kern-0.15em\cal{X}}}\kern-.2em\TeX}
237 \def\FAQ{\acro{FAQ}}
238 \def\FTP{\acro{FTP}}
239 \def\Ghostscript{Ghost\script}
240 \def\GNU{\acro{GNU}}
241 \def\GUI{\acro{GUI}}
242 \def\Hawaii{Hawai'i}
243 \def\HTML{\acro{HTML}}
244 \def\HTTP{\acro{HTTP}}
245 \def\iOS{i\acro{OS}}
246 \def\IDE{\acro{IDE}}
247 \def\IEEE{\acro{IEEE}}
248 \def\ISBN{\acro{ISBN}}
249 \def\ISO{\acro{ISO}}
250 \def\ISSN{\acro{ISSN}}
251 \def\JPEG{\acro{JPEG}}
252 \def\JTeX{\leavevmode\hbox{\lower.5ex\hbox{J}\kern-.18em\TeX}}
253 \def\JoT{\textsl{The Joy of \TeX}}
254 \DeclareRobustCommand{\KOMAScript}{\textsf{K\kern.05em O\kern.05em%
255   M\kern.05em A\kern.1em-\kern.1em Script}}
256 \def\LAMSTeX{L\raise.42ex\hbox{\kern-.3em
257   \m@th\fontsize\sf@size\z@\selectfont
258   \m@th\mathcal{A}$}%
259   \kern-.2em\lower.376ex\hbox{\m@th\mathcal{M}$}\kern-.125em
260   {\m@th\mathcal{S}$}-\TeX}

```

```

261 % This code
262 % is hacked from its definition of \cs{LaTeX}; it allows slants (for
263 % example) to propagate into the raised (small) 'A':
264 % \begin{macrocode}
265 \DeclareRobustCommand{\La}%
266   {L\kern-.36em
267     {\setbox0\hbox{T}%
268       \vbox to\ht0{\hbox{$\m@th$%
269         \csname S@\f@size\endcsname
270         \fontsize\sf@size\z@
271         \math@fontsfalse\selectfont
272         A}%
273         \vss}%
274     }}

```

We started with the intention that we wouldn't redefine `\LaTeX` when we're running under it, so as not to trample on an existing definition. However, this proves less than satisfactory; a single logo may be OK for the run of documents, but for *TUGboat*, we find that something noticeably better is necessary; see section 3.12.

```

275 <!!latex> \def\LaTeX{\La\kern-.15em\TeX}
276 \def\LuaHBTeX{Lua\acro{HB}\-\TeX}%
277 \def\LuaHBLaTeX{Lua\acro{HB}\-\LaTeX}%
278 \def\LuaLaTeX{Lua\-\LaTeX}% dtk-logos defines it and people like to use it
279 \def\LuaTeX{Lua\-\TeX}% ditto
280 \def\LyX{L\kern-.1667em\lower.25em\hbox{Y}\kern-.125emX}
281 \def\macOS{mac\acro{OS}}
282 \def\MacOSX{Mac\,\acro{OS}\,X}
283 \def\MathML{Math\acro{ML}}
284 \def\Mc{\setbox\TestBox=\hbox{M}M\vbox
285   to\ht\TestBox{\hbox{c}\vfil}} % for Robert McGaffey

```

If we're running under $\text{\LaTeX} 2_{\epsilon}$, we use Ulrik Vieth's `mflogo.sty` if it's present. Otherwise, we're using a short extract of Vieth's stuff. Either way, we don't need to specify `\MF` or `\MP`.

```

286 \def\mf{\textsc{Metafont}}
287 \def\MFB{\textsl{The \MF\kern1pt book}}
288 \def\MkIV{Mk\acro{IV}}
289 \let\TB@mp\mp
290 \DeclareRobustCommand{\mp}{\ifmmode\TB@mp\else MetaPost\fi}
291 \def\mtx{T\kern-.1667em\lower.424ex\hbox{\^E}\kern-.125emX\@}
292 %
293 % In order that the \cs{OMEGA} command will switch to using the TS1
294 % variant of the capital Omega character if \texttt{textcomp.sty} is
295 % loaded, we define it in terms of the \cs{textohm} command. Note
296 % that this requires us to interpose a level of indirection, rather
297 % than to use \cs{let}\dots
298 % Revised definition of \cs{NTS} based on that used by Phil Taylor.
299 %
300 % \begin{macrocode}

```

```

301 \DeclareRobustCommand{\NTG}{\acro{NTG}}
302 \DeclareRobustCommand{\NTS}{\ensuremath{\mathcal{N}}\mkern-4mu
303   \raisebox{-0.5ex}{\mathcal{T}}\mkern-2mu \mathcal{S}}
304 \DeclareTextSymbol{\textohm}{OT1}{'012}
305 \DeclareTextSymbolDefault{\textohm}{OT1}
306 \newcommand{\OMEGA}{\textohm}
307 \DeclareRobustCommand{\OCP}{\OMEGA\acro{CP}}
308 \DeclareRobustCommand{\OOXML}{\acro{OOXML}}
309 \DeclareRobustCommand{\OTF}{\acro{OTF}}
310 \DeclareRobustCommand{\OTP}{\OMEGA\acro{TP}}
311 \DeclareRobustCommand{\OpTeX}{\Op\kern-.05em\TeX}

312 \def\Pas{Pascal}
313 \def\pcMF{\leavevmode\raise.5ex\hbox{p\kern-.3\p@ c}MF\@}
314 \def\PCTeX{PC\thinspace\TeX}
315 \def\pcTeX{\leavevmode\raise.5ex\hbox{p\kern-.3\p@ c}\TeX}
316 \def\pdflatex{pdf\-\LaTeX}% dtk-logos
317 \def\pdftex{pdf\-\TeX}% dtk-logos
318 \def\PDF{\acro{PDF}}
319 \def\PGF{\acro{PGF}}
320 \def\PHP{\acro{PHP}}
321 \def\PiC{P\kern-.12em\lower.5ex\hbox{I}\kern-.075emC\@}
322 \def\PiCTeX{\PiC\kern-.11em\TeX}
323 \def\plain{\texttt{plain}}
324 \def\PNG{\acro{PNG}}
325 \def\POBox{P.\thinspace 0.~Box }
326 \def\PS{Post\-\Script}
327 \def\PSTricks{\acro{PST}ricks}
328 \def\RTF{\acro{RTF}}
329 \def\SC{Steering Committee}
330 \def\SGML{\acro{SGML}}
331 \def\SliTeX{\textrm{S\kern-.06em\textsc{l}\kern-.035emi}%
332   \kern-.06em\TeX}}
333 \def\slMF{\textsl{MF}} % should never be used
334 \def\SQL{\acro{SQL}}
335 \def\stTeX{\textsc{st}\kern-0.13em\TeX}
336 \def\STIX{\acro{STIX}}
337 \def\SVG{\acro{SVG}}
338 \def\TANGLE{\texttt{TANGLE}\@}
339 \def\TB{\textsl{The \TeX book}}
340 \def\TIFF{\acro{TIFF}}
341 \def\TP{\textsl{\TeX}: \textsl{The Program}}
342 \DeclareRobustCommand{\TeX}{T\kern-.1667em\lower.424ex\hbox{E}\kern-.125emX\@}
343 \def\TeXhax{\TeX hax}
344 \def\TeXMaG{\TeX M\kern-.1667em\lower.5ex\hbox{A}%
345   \kern-.2267emG\@}
346 \def\TeXtures{\textit{Textures}}
347 \let\Textures=\TeXtures
348 \def\TeXworks{\TeX\kern-.07em works}
349 \def\TeXXeT{\TeX-}\-\XeT}

```

```

350 \def\TFM{\acro{TFM}}
351 \ifx\Umathchardef\@thisisundefined % xetex|luatex
352 \def\Thanh{H\`an~Th\`e\llap{\raise 0.5ex\hbox{\`{}}}\`Th\`anh}% non-XeTeX
353 \else
354 \def\Thanh{H\`an~Th\textcirc{e}\`Th\`anh}% else xunicode drops the acute
355 \fi
356 \def\TikZ{Ti{\em k}Z}
357 \def\TTN{\textsl{TTN}\@}
358 \def\TTN{\textsl{TeX} and TUG News}
359 \def\TUB{\texttub{TUGboat}}\def\texttub{\textsl} % redefined in some situations
360 \def\TUG{\TeX\ UG}
361 \def\tug{\acro{TUG}}
362 \def\UG{Users Group}
363 \def\UNIX{\acro{UNIX}}
364 % omit \UTF, since other packages use it for Unicode character access.
365 \def\VAX{V\kern-.12em A\kern-.1em X\@}
366 \def\VnTeX{V\kern-.03em n\kern-.02em \TeX}
367 \def\VorTeX{V\kern-2.7\p@\lower.5ex\hbox{0\kern-1.4\p@ R}\kern-2.6\p@\TeX}
368 \def\XeT{X\kern-.125em\lower.424ex\hbox{E}\kern-.1667emT\@}
369 \def\XML{\acro{XML}}
370 \def\WEB{\texttt{WEB}\@}
371 \def\WEAVE{\texttt{WEAVE}\@}
372 \def\WYSIWYG{\acro{WYSIWYG}}

```

XeTeX requires reflecting the first E, hence we complain if the graphics package is not present. (For plain documents, this can be loaded via Eplain.) Also, at Barbara's suggestion, if the current font is slanted, we rotate by 180 instead of reflecting so there is at least a chance to look ok. (The magic values here seem more or less ok for cmsl and cmti.)

```

373 \def\tubreflect#1{%
374   \ifundefined{reflectbox}{%
375     \TBError{A graphics package must be loaded for \string\XeTeX}%
376   }{%
377     \ifdim \fontdimen1\font>0pt
378       \raise 1.75ex \hbox{\kern.1em\rotatebox{180}{#1}}\kern-.1em
379     \else
380       \reflectbox{#1}%
381     \fi
382   }%
383 }
384 \def\tubhideheight#1{\setbox0=\hbox{#1}\ht0=0pt \dp0=0pt \box0 }
385 \def\XekernbeforeE{-.125em}
386 \def\XekernafterE{-.1667em}
387 \DeclareRobustCommand{\Xe}{\leavevmode
388   \tubhideheight{\hbox{X%
389     \setbox0=\hbox{\TeX}\setbox1=\hbox{E}%
390     \ifdim \fontdimen1\font>0pt
391       % XeTeX logo needs tinkering when slanted/italic font.
392       \def\XekernbeforeE{-.11em}%
393       \def\XekernafterE{-.11em}%

```



```

394     \dp1=-.17ex
395     \fi
396     \lower\dp0\hbox{\raise\dp1\hbox{\kern\XekernbeforeE\tubreflect{E}}}%
397     \kern\XekernafterE}}
398 \def\XeTeX{\XeTeX}
399 \def\XeLaTeX{\Xe{\kern.11em \LaTeX}}
400 %
401 \def\XHTML{\acro{XHTML}}
402 \def\XSL{\acro{XSL}}
403 \def\XSLFO{\acro{XSL}\raise.08ex\hbox{-}\acro{FO}}
404 \def\XSLT{\acro{XSLT}}

```

3.5 General typesetting rules

```

405 \newlinechar='^^J
406 \normallineskiplimit=\p@
407 \clubpenalty=10000
408 \widowpenalty=10000
409 \def\NoParIndent{\parindent=\z@}
410 \newdimen\normalparindent
411 \normalparindent=20\p@
412 \def\NormalParIndent{\global\parindent=\normalparindent}
413 \NormalParIndent
414 \def\BlackBoxes{\overfullrule=5\p@}
415 \def\NoBlackBoxes{\overfullrule=\z@}
416 \def\newline{\hskip\z@\@plus\pagewd\break}

```

Hyphen control: first, we save the hyphenpenalties in `\allowhyphens`. This allows us to permit hyphens temporarily in things like `\netaddresses`, which typically occur when `\raggedright` is set, but which need to be allowed to break at their artificial discretionaries.

```

417 \edef\allowhyphens{\noexpand\hyphenpenalty\the\hyphenpenalty\relax
418 \noexpand\exhyphenpenalty\the\exhyphenpenalty\relax}
419 \def\nohyphens{\hyphenpenalty\@M\exhyphenpenalty\@M}

```

3.6 Utility registers and definitions

We define a few scratch registers (and the like) for transient use; they're all paired: an internal one (`\T@st*`) and an external one (`\Test*`).

Comment: Exercise for an idle day: find whether all these are necessary, or whether we can use the L^AT_EX temporaries for some (or all) of the `\T@st*` ones.

Comment: (bb) All these registers are used in the plain version, `tugboat.sty`.

```

420 \newbox\T@stBox           \newbox\TestBox
421 \newcount\T@stCount     \newcount\TestCount
422 \newdimen\T@stDimen    \newdimen\TestDimen
423 \newif\ifT@stIf        \newif\ifTestIf

```

Control sequence existence test, stolen from T_EXbook exercise 7.7 (note that this provides functionality that in some sense duplicates something within L^AT_EX).

```
424 \def\ifundefined#1{\expandafter\ifx\csname#1\endcsname\relax }
```

L^AT_EX conventions which are also useful here.

```
425 <*\latex>
426 \let\@@input\input
427 \def\iinput#1{\@@input#1 }
428 \def\@inputcheck{\if\@nextchar\bgroup
429 \expandafter\iinput\else\expandafter\@@input\fi}
430 \def\input{\futurelet\@nextchar\@inputcheck}
431 </!\latex>
```

Smashes repeated from AMS-T_EX; plain T_EX implements only full \smash.

```
432 \newif\iftop@ \newif\ifbot@
433 \def\topsmash{\top@true\bot@false\smash@}
434 \def\botsmash{\top@false\bot@true\smash@}
435 \def\smash{\top@true\bot@true\smash@}
436 \def\smash@{\relax\ifmode\def\next{\mathpalette\mathsm@sh}%
437 \else\let\next\makesm@sh\fi \next }
438 \def\finsm@sh{\iftop@ht\z@\z@\fi\ifbot@dp\z@\z@\fi\box\z@}
```

Vertical ‘laps’; cf. \llap and \rlap

```
439 \long\def\ulap#1{\vbox to \z@\vss#1}}
440 \long\def\dlap#1{\vbox to \z@{#1\vss}}
```

And centered horizontal and vertical ‘laps’

```
441 \def\xlap#1{\hb@xt@\z@\{hss#1\hss}}
442 \long\def\ylap#1{\vbox to \z@\vss#1\vss}}
443 \long\def\zlap#1{\ylap{\xlap{#1}}}
```

Avoid unwanted vertical glue when making up pages.

```
444 \def\basezero{\baselineskip\z@skip \lineskip\z@skip}
```

Empty rules for special occasions

```
445 \def\nullhrule{\hrule \@height\z@ \@depth\z@ \@width\z@ }
446 \def\nullvrule{\vrule \@height\z@ \@depth\z@ \@width\z@ }
```

Support ad-hoc strut construction.

```
447 \def\makestrut[#1;#2]{\vrule \@height#1 \@depth#2 \@width\z@ }
```

Construct box for figure pasteup, etc.; height = #1, width = #2, rule thickness = #3

```
448 \def\drawoutlinebox[#1;#2;#3]{\T@stDimen=#3
449 \vbox to#1{\hrule \@height\T@stDimen \@depth\z@
450 \vss\hb@xt@#2{\vrule \@width\T@stDimen
451 \hfil\makestrut[#1;\z@]}%
452 \vrule \@width\T@stDimen}\vss
453 \hrule \@height\T@stDimen \@depth\z@}}
```

Today's date, to be printed on drafts. Based on T_EXbook, p.406.

```
454 <!*latex>
455 \def\today{\number\day\space \ifcase\month\or
456         Jan \or Feb \or Mar \or Apr \or May \or Jun \or
457         Jul \or Aug \or Sep \or Oct \or Nov \or Dec \fi
458         \number\year}
459 </!latex>

Current time; this may be system dependent!

460 \newcount\hours
461 \newcount\minutes
462 \def\SetTime{\hours=\time
463         \global\divide\hours by 60
464         \minutes=\hours
465         \multiply\minutes by 60
466         \advance\minutes by-\time
467         \global\multiply\minutes by-1 }
468 \SetTime
469 \def\now{\ifnum\hours<10 0\fi\number\hours:%
470         \ifnum\minutes<10 0\fi\number\minutes}
471 \def\Now{\today\ \now}
472 \newif\ifPrelimDraft % [draft] or [preprint] or pageno>900
473 \def\midrttitle{} % center of running heads
474 \def\rtitlenexttopage{\ifPrelimDraft \textsl{\small draft: \Now}\fi}
```

3.7 Ragged right and friends

`\raggedskip` Plain T_EX's definition of `\raggedright` doesn't permit any stretch, and results in
`\raggedstretch` too many overfull boxes. We also turn off hyphenation. This code lies somewhere
`\raggedparfill` between that of Plain T_EX and of L^AT_EX.

```
\raggedspaces 475 \newdimen\raggedskip \raggedskip=\z@
476 \newdimen\raggedstretch \raggedstretch=5em % ems of font set now (10pt)
477 \newskip\raggedparfill \raggedparfill=\z@\@plus 1fil
478 \def\raggedspaces{\spaceskip=.3333em \relax \xspaceskip=.5em \relax }
```

`\raggedright` Some applications may have to add stretch, in order to avoid all overfull boxes.

`\raggedleft` We define the following uses of the above skips, etc.

```
\raggedcenter 479 \def\raggedright{%
\normalspaces 480 \nohyphens
481 \rightskip=\raggedskip\@plus\raggedstretch \raggedspaces
482 \parfillskip=\raggedparfill
483 }
484 \def\raggedleft{%
485 \nohyphens
486 \leftskip=\raggedskip\@plus\raggedstretch \raggedspaces
487 \parfillskip=\z@skip
488 }
489 \def\raggedcenter{%
490 \nohyphens
```

```

491 \leftskip=\raggedskip\@plus\raggedstretch
492 \rightskip=\leftskip \raggedspaces
493 \parindent=\z@ \parfillskip=\z@skip
494 }
495 \def\normalspaces{\spaceskip\z@skip \xspaceskip\z@skip}

```

3.8 Assorted user-level markup

L^AT_εEX 2_ε defines a robust `\,`, but that we provide a new definition of `\` by redefining `\` (`\DeclareRobustCommand` doesn't mind redefinition, fortunately). This is based on the version in AMS- \TeX —the L^AT_εEX 2_ε version (`ltspace.dtx`) has `\leavevmode` and does not do anything with the surrounding space(s). Our version messes up with the `\pfill` used in `doc`-generated indexes (github.com/latex3/latex2e/issues/75), but later (2018++) versions of `doc` should be protected against our redefinition.

```

496 \let\latexpnobreakspace=\nobreakspace
497 \DeclareRobustCommand{\nobreakspace}{\unskip\nobreak\ \ignorespaces}

```

Plain \TeX defines `\newbox` as `\outer`. We solemnly preserve the following, which removes the `\outerness`; of course, we carefully exclude it from what we generate... (`\outerness` is a spawn of the devil, is it not? Barbara Beeton responded to the previous sentence “`\outerness` has its place: it avoids register buildup, hence running out of memory”. In another context, David Carlisle remarked that an error control mechanism that causes more confusing errors than it prevents is rather a poor one. This is perhaps not the place to conduct a serious debate...)

```

498 \def\boxcs#1{\box\cscname#1\endcscname}
499 \def\setboxcs#1{\setbox\cscname#1\endcscname}
500 \def\newboxcs#1{\expandafter\newbox\cscname#1\endcscname}
501 \let\gobble\@gobble
502 \def\vellipsis{%
503   \leavevmode\kern0.5em
504   \raise\p@\vbox{\baselineskip6\p@\vskip7\p@\hbox{.}\hbox{.}\hbox{.}}
505 }
506 \def\bull{\vrule \@height 1ex \@width .8ex \@depth -.2ex }
507 \def\cents{{\rm\raise.2ex\rlap{\kern.05em$\scriptstyle/$}c}}
508 \def\careof{\leavevmode\hbox{\raise.75ex\hbox{c}\kern-.15em
509   /\kern-.125em\smash{\lower.3ex\hbox{o}}}\ignorespaces}
510 \def\Dag{\raise .6ex\hbox{$\scriptstyle\dagger$}}
511 %
512 \DeclareRobustCommand{\sfrac}[1]{\@ifnextchar/{\@sfrac{#1}}%
513   {\@sfrac{#1}/}}
514 \def\@sfrac#1/#2{\leavevmode\kern.1em\raise.5ex
515   \hbox{$\m@th\mbox{\fontsize\sf@size\z@
516     \selectfont#1}$}\kern-.1em
517   /\kern-.15em\lower.25ex
518   \hbox{$\m@th\mbox{\fontsize\sf@size\z@
519     \selectfont#2}$}}

```

```

520 %
521 % don't stay bold in description items, bold italic is too weird.
522 \DeclareRobustCommand\meta[1]{%
523   \ensuremath{\langle\rangle}%
524   \ifmmode \expandafter\mbox \fi % if in math
525   {\it #1\}/}% no typewriter italics, please
526   \ensuremath{\rangle}%
527 }
528 %
529 % Use \tt rather than \texttt because italic typewriter is just too ugly,
530 % and upright works well enough in both italic and bold contexts.
531 \DeclareRobustCommand{\cs}[1]{\tt \char'\#1}
532 %
533 % This command was defined much later than the others around here, so
534 % let's not conflict with any existing definitions that might be out there.
535 % Don't allow hyphenations or other line breaks.
536 \DeclareRobustCommand{\tubbraced}[1]{\mbox{\texttt{\char'\#1\char'\}}}
537 %
538 % Well, just the \begin part. Never seen it used.
539 \DeclareRobustCommand{\env}[1]{\cs{begin}\tubbraced{#1}}
540 %
541 % Not sure why we ever want this instead of LaTeX's \, (using \kern),
542 % but fine, just keeping it.
543 \DeclareRobustCommand{\thinspace}{\hskip 0.16667em\relax}
544 %
545 % Ah, urls. Nowadays, we like the visible url to not have any protocol,
546 % if it is \texttt{http://} or \texttt{https://}. But we need to include
547 % the protocol if we are making live links, since a string like
548 % \texttt{tug.org/whatever} will be taken as a local filename by
549 % browsers and PDF readers. Since we need to check for
550 % \texttt{hyperref}, make the definition \cs{AtBeginDocument}. In the
551 % end, \cs{tbsurl}\tubbraced{foo} produces \texttt{https://foo} and
552 % \cs{tbhurl}\tubbraced{foo} produces \texttt{http://foo}.
553 \AtBeginDocument{%
554   \ifx\hyper@normalise\undefined
555     \def\tbsurl{\url}% no hyperref, so just \url is fine.
556     \def\tbhurl{\url}%
557   \ifx\url\undefined \let\url\texttt \fi % er, make sure \url is defined
558   \else
559     % This hyperref hook-in is due to Ulrike Fischer.
560     % \url{https://github.com/latex3/hyperref/issues/125}.
561     \DeclareRobustCommand*\tbsurl{\hyper@normalise\tbsurl@}%
562     \def\tbsurl@#1{\hyper@linkurl{\Hurl{#1}}{https://#1}}%
563     \DeclareRobustCommand*\tbhurl{\hyper@normalise\tbhurl@}%
564     \def\tbhurl@#1{\hyper@linkurl{\Hurl{#1}}{http://#1}}%
565   \fi
566 }
567 %
568 % Make \! work in text mode.
569 \DeclareRobustCommand{\!}{\ifmmode\mskip-\thinmuskip \else\kern-0.16667em \fi}

```

```

570 %
571 % Half a thinspace, positive and negative.
572 \DeclareRobustCommand{\tubthinnerospace}
573  {\ifmmode\mskip.5\thinmuskip \else\kern0.08333em \fi}
574 \DeclareRobustCommand{\tubthinnerospace}
575  {\ifmmode\mskip-.5\thinmuskip \else\kern-0.08333em \fi}
576 %
577 % Half a smallskip.
578 \DeclareRobustCommand{\tubsmallerskip}
579  {\vskip 1.5pt plus .75pt minus .75pt\relax}
580 %

```

We play a merry game with dashes, providing all conceivable options of breakability before and after.

```

581 \def\endash{--}
582 \def\emdash{\endash-}
583 \def\d@sh#1#2{\unskip#1\thinspace#2\thinspace\ignorespaces}
584 \def\dash{\d@sh\nobreak\endash}
585 \def\Dash{\d@sh\nobreak\emdash}
586 \def\ldash{\d@sh\empty{\hbox{\endash}\nobreak}}
587 \def\rdash{\d@sh\nobreak\endash}
588 \def\Ldash{\d@sh\empty{\hbox{\emdash}\nobreak}}
589 \def\Rdash{\d@sh\nobreak\emdash}

```

Hacks to permit automatic hyphenation after an actual hyphen, or after a slash.

```

590 \def\hyph{-\penalty\z@\hskip\z@skip }
591 \def\slash{/\penalty\z@\hskip\z@skip }

```

Adapted from `comp.text.tex` posting by Donald Arseneau, 26 May 93.

L^AT_EX 2_ε-isation added by Robin Fairbairns. Destroys both the TestCounts.

```

592 \def\nth#1{%
593   \def\reserved@a##1##2\@nil{\ifcat##1n%
594     0%
595     \let\reserved@b\ensuremath
596     \else##1##2%
597     \let\reserved@b\relax
598     \fi}%
599   \TestCount=\reserved@a#1\@nil\relax
600   \ifnum\TestCount <0 \multiply\TestCount by\m@ne \fi % subdue negatives
601   \T@stCount=\TestCount
602   \divide\T@stCount by 100 \multiply\T@stCount by 100
603   \advance\TestCount by-\T@stCount % n mod 100
604   \ifnum\TestCount >20 \T@stCount=\TestCount
605     \divide\T@stCount by 10 \multiply\T@stCount by 10
606     \advance\TestCount by-\T@stCount % n mod 10
607   \fi
608   \reserved@b{#1}%
609   \textsuperscript{\ifcase\TestCount th%   0th
610                     \or st%               1st

```

```

611             \or nd%                2nd
612             \or rd%                3rd
613             \else th%              nth
614             \fi}%
615 }

```

3.9 Reviews

Format information on reviewed items for book review articles. For the L^AT_EX 2_ε version, we follow Fairbairns' maxim, and define something that can even look like a L^AT_EX macro...

```

616 \def\Review{\@ifnextchar:{\@Review}{\@Review:}}
617 \def\@Review:{\@ifnextchar[%
618   {\@Rev}%
619   {\@Rev[Book review]}}
620 \def\@Rev[#1]#2{{\ignorespaces#1\unskip:\enspace\ignorespaces
621                \slshape\mdseries#2}}
622 \def\reviewitem{\addvspace{\BelowTitleSkip}}%
623   \def\revauth##1{\def\therevauth{##1, }\ignorespaces}%
624   \def\revtitle##1{\def\therevtitle{\slshape##1}. }\ignorespaces}%
625   \def\revpubinfo##1{\def\therevpubinfo{##1.}\ignorespaces}%
626 }
627 \def\endreviewitem{{\noindent\interlinepenalty=10000
628   \therevauth\therevtitle\therevpubinfo\endgraf}%
629   \vskip\medskipamount
630 }
631 \def\booktitle#1{{\slshape\frenchspacing#1\}}

```

3.10 Dates, volume and issue numbers, etc.

Dates and other items which identify the volume and issue. `\issueseqno` is a sequential issue number starting from the first issue published; volume 15,4 has `\issueseqno=45`.

```
\vol 19, 1.
```

To use: `\issdate March 1998`.

```
\issueseqno=58
```

Starting with volume 23 (nominal 2002), we have `\issyear` instead of `\issdate`, because issues don't have months any more.

For production, these are set in a separate file, `tugboat.dates`, which is issue-specific.

```

632 \newcount\issueseqno \issueseqno=-1
633 \def\volx{\gdef\volx{Volume~\volno~(\volyr), No.~\issno}}
634 \def\volyr{}
635 \def\volno{}
636 \def\vol#1, #2.{%
637     \gdef\volno{#1}%
638     \gdef\issno{#2}%

```

```

639     \setbox\TextBox=\hbox{\volyr}%
640     \ifdim \wd\TextBox > .2em \v@l{x \fi }
641 \def\issyear#1.{%
642     \gdef\issdt{#1}\gdef\volyr{#1}%
643     \gdef\bigissdt{#1}%
644     \setbox\TextBox=\hbox{\volno}%
645     \ifdim \wd\TextBox > .2em \v@l{x \fi }
646 \def\issdate#1#2 #3.{%
647     \gdef\issdt{#1#2 #3}\gdef\volyr{#3}%
648     \gdef\bigissdt{#1{\smc\uppercase{#2}} #3}%
649     \setbox\TextBox=\hbox{\volno}%
650     \ifdim \wd\TextBox > .2em \v@l{x \fi }
651 % The \vol command must be invoked precisely like this, including spaces.
652 % Since we are the only ones who write it, we can be strict.
653 \vol 0, 0.
654 \issdate Thermidor, 9999.

```

(The curious may like to know that *Thermidor* was one of the French revolutionary month names.)

For L^AT_EX use, define a version of the issue declaration that can take or leave the old plain syntax

```

655 <!!latex>\def\tubissue#1(#2)%
656 <*latex>
657 \def\tubissue#1{\@ifnextchar(%)
658   {\@tubissue@b{#1}}
659   {\@tubissue@a{#1}}}
660 \def\@tubissue@b#1(#2){\@tubissue@a{#1}{#2}}
661 \def\@tubissue@a#1#2%
662 </latex>
663   {\TUB~#1, no.~#2}

```

TUGboat conventions include the sequential issue number in the file name.

Permit this to be incorporated into file names automatically. If issue number = 11, `\Input filnam` will read `tb11filnam.tex`

```

664 \def\infil@{\jobname}
665 \def\Input #1 {\ifnum\issueseqno<0
666   \def\infil@{#1}%
667   \else
668     \def\infil@{tb\number\issueseqno#1}
669   \fi
670   \edef\jobname{\infil@}\@readFLN
671   \@input \infil@\relax
672   \if@RMKopen
673     \immediate\closeout\@TBremarkfile\@RMKopenfalse
674   \fi
675 }

```

`\TBremarks` are things that need to be drawn to the attention of the editors; the conscientious author will include such things in the article file. By default, remarks are suppressed, but their appearance may be enabled by the

\TbEnableRemarks command, which can be included in the configuration file `ltugboat.cfg` (or `ltugproc.cfg`, if that's what we're at).

```

676 \newif\if@RMKopen          \@RMKopenfalse
677 \newwrite\@TBremarkfile
678 \def\@TBremark#1{%
679   \if@RMKopen
680   \else
681     \@RMKopenttrue\immediate\openout\@TBremarkfile=\infil@.rmk
682   \fi
683   \toks@=#1}%
684   \immediate\write\@TBremarkfile{^^J\the\toks@}%
685   \immediate\write16{^^JTBremark: \the\toks@^^J}%
686 }

```

We initialise \TBremark to ignore its argument (this used to involve a \TBremarkOFF which was cunningly defined exactly the same as \gobble)

```
687 \let\TBremark=\gobble
```

\TbEnableRemarks simply involves setting \TBremark to use the functional \@TBremark defined above.

```
688 \def\TbEnableRemarks{\let\TBremark\@TBremark}
```

For marking locations in articles that pertain to remarks in another file of editorial comments

```
689 \def\TUBedit#1{}
```

For using different filenames in the production process than those supplied by authors

```

690 \def\TUBfilename#1#2{\expandafter\def\csname file@@#1\endcsname{#2}}
691 \newread\@altfilenames
692 \def\@readFLN{\immediate\openin\@altfilenames=\jobname.fln
693   \ifeof\@altfilenames\let\@result\relax\else
694   \def\@result{\@input\jobname.fln }\fi
695   \immediate\closein\@altfilenames
696   \@result}
697 \@readFLN
698 \everyjob=\expandafter{\the\everyjob\@readFLN}
699 \InputIfFileExists{\jobname.fln}%
700   {\TBInfo{Reading alternative file file \jobname.fln}}{}

```

The following needs to work entirely in T_EX's mouth

```

701 \def\@tubfilename#1{\expandafter\ifx\csname file@@#1\endcsname\relax
702   #1\else\csname file@@#1\endcsname\fi}
703 \def\fileinput#1{\@input\@tubfilename{#1} }

```

Write out (both to a file and to the log) the starting page number of an article, to be used for cross references and in contents. \pagexref is used for articles fully processed in the *TUGboat* run. \PageXref is used for 'extra' pages, where an item is submitted as camera copy, and only running heads (at most) are run.

```

704 <!*latex>
705 \def\pagexrefON#1{%
706     \write-1{\def\expandafter\noexpand\csname#1\endcsname{\number\pageno}}}%
707     \write\ppoutfile{%
708         \def\expandafter\noexpand\csname#1\endcsname{\number\pageno}}}%
709     }
710 \def\PageXrefON#1{%
711     \immediate\write-1{\def\expandafter
712         \noexpand\csname#1\endcsname{\number\pageno}}}%
713     \immediate\write\ppoutfile{\def\expandafter
714         \noexpand\csname#1\endcsname{\number\pageno}}}}
715 </!latex>
716 <*latex>
717 \def\pagexrefON#1{%
718     \write-1{\def\expandafter\noexpand\csname#1\endcsname{\number\c@page}}}%
719     \write\ppoutfile{%
720         \def\expandafter\noexpand\csname#1\endcsname{\number\c@page}}}%
721     }
722 \def\PageXrefON#1{%
723     \immediate\write-1{\def\expandafter
724         \noexpand\csname#1\endcsname{\number\c@page}}}%
725     \immediate\write\ppoutfile{\def\expandafter
726         \noexpand\csname#1\endcsname{\number\c@page}}}}
727 </latex>
728 \def\pagexrefOFF#1{}
729 \let\pagexref=\pagexrefOFF
730 \def\PageXrefOFF#1{}
731 \let\PageXref=\PageXrefOFF
732 \def\xreftoON#1{%
733     \ifundefined{#1}%
734     ???\TBremark{Need cross reference for #1.}%
735     \else\csname#1\endcsname\fi}
736 \def\xreftoOFF#1{???}
737 \let\xrefto=\xreftoOFF

```

\TBdriver ‘marks code for use when articles are run together in a driver file’. Since we don’t yet have a definition of that arrangement, we don’t have a definition of \TBdriver. Its argument (which one presumes was intended as the code for this unusual state) is just gobbled.

```
738 \let\TBdriver\gobble
```

Some hyphenation exceptions:

```

739 \ifx\tubomithyphenations\@thisisundefined
740 \hyphenation{Del-a-ware Dijk-stra Duane Eijk-hout
741 Flor-i-da Free-BSD Ghost-script Ghost-view
742 Hara-lam-bous Jac-kow-ski Ja-pa-nese Karls-ruhe
743 Mac-OS Ma-la-ya-lam Math-Sci-Net
744 Net-BSD Open-BSD Open-Office
745 Pak-i-stan Pfa-Edit Post-Script Rich-ard Skoup South-all
746 Vieth VM-ware Win-Edt

```

```

747 acro-nym acro-nyms analy-sis ap-pen-di-ces ap-pen-dix asyn-chro-nous
748 bib-lio-graph-i-cal bit-map bit-mapped bit-maps buf-fer buf-fers bool-ean
749 col-umns com-put-able com-put-abil-ity cus-tom-iz-able
750 data-base data-bases
751 de-allo-cate de-allo-cates de-allo-cated de-allo-ca-tion
752 de-riv-a-tive de-riv-a-tives de-riv-a-ble der-i-va-tion dis-trib-ut-able
753 es-sence
754 fall-ing
755 half-way
756 in-fra-struc-ture
757 key-note
758 long-est
759 ma-gyar man-u-script man-u-scripts meta-table meta-tables
760 mne-mon-ic mne-mon-ics mono-space mono-spaced
761 name-space name-spaces
762 off-line over-view
763 pal-ettes par-a-digm par-a-dig-mat-ic par-a-digms
764 pipe-line pipe-lines
765 plug-in plug-ins pres-ent-ly pro-gram-mable
766 re-allo-cate re-allo-cates re-allo-cated re-printed
767 set-ups se-vere-ly spell-ing spell-ings stand-alone strong-est
768 sub-ex-pres-sion sub-tables sur-gery syn-chro-ni-city syn-chro-nous
769 text-height text-length text-width
770 time-stamp time-stamped time-stamps
771 vis-ual vis-ual-ly
772 which-ever white-space white-spaces wide-spread wrap-around
773 }
774 \fi
775 <!!latex>\restorecat\@
776 </common>
777 <*classtail>
778 \PrelimDraffttrue

```

3.11 Page dimensions, glue, penalties, etc.

```

779 \textheight 54pc
780 \textwidth 39pc
781 \columnsep 1.5pc
782 \columnwidth 18.75pc
783 \hfuzz 1pt
784 \parindent \normalparindent
785 \parskip \z@ % \@plus\p@
786 \leftmargini 2em
787 \leftmarginv .5em
788 \leftmarginvi .5em
789 \oddsidemargin \z@
790 \evensidemargin \z@
791 \topmargin -2.5pc
792 \headheight 12\p@
793 \headsep 20\p@

```

```

794 \marginparwidth 48\p@
795 \marginparsep 10\p@
796 \partopsep=\z@
797 \topsep=3\p@\@plus\p@\@minus\p@
798 \parsep=3\p@\@plus\p@\@minus\p@
799 \itemsep=\parsep
800 %
801 % The width of one column plus gutter (=243pt) is useful sometimes.
802 \newdimen\tubcolwidthandgutter
803 \tubcolwidthandgutter=\columnwidth
804 \advance\tubcolwidthandgutter by \columnsep
805 %
806 % Ordinarily we typeset in two columns, but the onecolumn option
807 % goes to one. In which case we want to center the text block on an
808 % 8.5in width, given the default 72.27pt offset with margins of zero.
809 % We are always in LaTeX's twoside mode because of how we load article,
810 % and this is a good thing, since we want different headings.
811 \if@tubtwocolumn \twocolumn \else
812 \onecolumn
813 \textwidth=34pc
814 \oddsidemargin=30.8775pt
815 \evensidemargin=\oddsidemargin
816 \fi
817 %
818 \newdimen\pagewd \pagewd=\textwidth
819 \newdimen\trimwd \trimwd=\pagewd
820 \newdimen\trimlgt \trimlgt=11in
821 \newdimen\headmargin \headmargin=3.5pc

```

In L^AT_εX 2_ε, twoside option is forced on when article.cls is loaded.

3.12 Messing about with the L^AT_εX logo

Barbara Beeton's pleas for L^AT_εX logos that look right in any font shape provoked me to generate the following stuff that is configurable.

Here's the command for the user to define a new version. The arguments are font family, series and shape, and then the two kern values used in placing the raised 'A' of L^AT_εX.

```

822 \newcommand{\DeclareLaTeXLogo}[5]{\expandafter\def
823 \csname @LaTeX@#1/#2/#3\endcsname{#{4}{#5}}}

```

The default values are as used in the source of L^AT_εX itself:

```

824 \def\@LaTeX@default{.36}{.15}

```

More are defined in the initial version, for bold CM sans (which is used as `\SecTitleFont`), and CM italic medium and bold, and Bitstream Charter (which Nelson Beebe likes to use). Duplicate for Latin Modern.

```

825 \DeclareLaTeXLogo{cmss}{bx}{n}{.3}{.15}
826 \DeclareLaTeXLogo{lmss}{bx}{n}{.3}{.15}
827 %

```

```

828 \DeclareLaTeXLogo{cmr}{m}{it}{.29}{.2}
829 \DeclareLaTeXLogo{lmr}{m}{it}{.29}{.2}
830 %
831 \DeclareLaTeXLogo{cmr}{m}{sl}{.29}{.15}
832 \DeclareLaTeXLogo{lmr}{m}{sl}{.29}{.15}
833 %
834 \DeclareLaTeXLogo{cmr}{bx}{it}{.29}{.2}
835 \DeclareLaTeXLogo{lmr}{bx}{it}{.29}{.2}
836 %
837 \DeclareLaTeXLogo{cmr}{bx}{sl}{.29}{.2}
838 \DeclareLaTeXLogo{lmr}{bx}{sl}{.29}{.2}
839 %
840 \DeclareLaTeXLogo{bch}{m}{n}{.2}{.08}
841 \DeclareLaTeXLogo{bch}{m}{it}{.2}{.08}

```

Redefine `\LaTeX` to choose the parameters for the current font, or to use the default value otherwise:

```

842 \DeclareRobustCommand{\LaTeX}{\expandafter\let\expandafter\reserved@a
843 \csname @LaTeX@f@family/\f@series/\f@shape\endcsname
844 \ifx\reserved@a\relax\let\reserved@a@LaTeX@default\fi
845 \expandafter\@LaTeX\reserved@a}

```

Here's the body of what was originally `\LaTeX`, pulled out with its roots dripping onto the smoking ruin of original L^AT_EX, and then bits stuck in on the side.

`\@LaTeX@default` provides parameters as one finds in the original; other versions are added as needed.

```

846 \newcommand{\@LaTeX}[2]{%
847 %\wlog{latex logo family=\f@family/\f@series/\f@shape -> #1, #2.}%
848 L\kern-#1em
849 {\sbox\z@ T%
850 \vbox to\ht0{\hbox{\$m@th$%
851 \csname S@\f@size\endcsname
852 \fontsize\sf@size\z@
853 \math@fontsfalse\selectfont
854 A}%
855 \vss}%
856 }%
857 \kern-#2em%
858 \TeX}

```

3.13 Authors, contributors, addresses, signatures

An article may have several authors (of course), so we permit an `\author` command for each of them. The names are then stored in a set of `\csnames` called `\author1`, `\author2`, ... Similarly, there are several `\address<n>` and `\netaddress<n>` and `\PersonalURL<n>` and `\ORCID<n>` commands set up for each article.

Comment: I would like to make provision for several authors at the same address, but (short of preempting the `*` marker, which it would be nice to retain so as

to preserve compatibility with the plain style) I'm not sure how one would signal it.

```
859 \def\theauthor#1{\csname theauthor#1\endcsname}
860 \def\theaddress#1{\csname theaddress#1\endcsname}
861 \def\thenetaddress#1{\csname thenetaddress#1\endcsname}
862 \def\thePersonalURL#1{\csname thePersonalURL#1\endcsname}
863 \def\theORCID#1{\csname theORCID#1\endcsname}
```

The standard way of listing authors is to iterate from 1 to `\count@` and to pick the author names as we go.

```
864 <!!latex>\newcount\@tempcnta
865 \def\@defaultauthorlist{%
866   \@getauthorlist\@firstofone
867 }
```

`\@getauthorlist` processes the author list, passing every bit of stuff that needs to be typeset to the macro specified as its argument.

```
868 \def\@getauthorlist#1{%
869   \count@\authornumber
870   \advance\count@ by -2
871   \@tempcnta0
```

Loop to output the first $n - 2$ of the n authors (the loop does nothing if there are two or fewer authors)

```
872 \loop
873   \ifnum\count@>0
874     \advance\@tempcnta by \@ne
875     #1{\ignorespaces\theauthor{\number\@tempcnta}\unskip, }%
876     \advance\count@ by \m@ne
877 \repeat
878 \count@\authornumber
879 \advance\count@ by -\@tempcnta
880 \ifnum\authornumber>0
```

If there are two or more authors, we output the penultimate author's name here, followed by 'and'

```
881   \ifnum\count@>1
882     \count@\authornumber
883     \advance\count@ by \m@ne
884     #1{\ignorespaces\theauthor{\number\count@}\unskip\@tubauthorlastsep}%
885   \fi
```

Finally (if there were any authors at all) output the last author's name:

```
886   #1{\ignorespaces\theauthor{\number\authornumber}\unskip}
887 \fi
888 }
889 %
890 \def\@tubauthorlastsep{, }% until 2018, was: "\ and "
```

Signature blocks. The author can (in principle) define a different sort of signature block using `\signature`, though this could well cause the editorial group to have collective kittens (unless it had been discussed in advance...)

```

891 \def\signature#1{\def\@signature{#1}}
892 \def\@signature{\@defaultsignature}

\@defaultsignature loops through all the authors, outputting the details
we have about that author, or (if we're in a sub-article) outputs the contributor's
name and closes the group opened by \contributor. It is (as its name implies)
the default body for \makesignature

893 \def\@defaultsignature{%
894     \let\thanks\@gobble
895     \frenchspacing
896     %
897     \ifnum\authornumber<0

if \authornumber < 0, we are in a contributor's section

898     \medskip
899     \signaturemark
900     \theauthor{\number\authornumber}\\
901     \theaddress{\number\authornumber}\\
902     \allowhyphens
903     \thenetaddress{\number\authornumber}\\
904     \thePersonalURL{\number\authornumber}\\
905     \theORCID{\number\authornumber}\\
906     \else

\authornumber ≥ 0, so we are in the body of an ordinary article

907     \count@=0
908     \loop
909     \ifnum\count@<\authornumber
910         \medskip
911         \advance\count@ by \@ne
912         \signaturemark
913         \theauthor{\number\count@}\\
914         \theaddress{\number\count@}\\
915         {%
916             \allowhyphens
917             \thenetaddress{\number\count@}\\
918             \thePersonalURL{\number\count@}\\
919             \theORCID{\number\count@}\\
920         }%
921     \repeat
922     \fi
923 }%
924 }
925 \newdimen\signaturewidth \signaturewidth=12pc

```

The optional argument to `\makesignature` is useful in some circumstances (e.g., multi-contributor articles)

```

926 \newcommand{\makesignature}[1][\medskipamount]{%
      check the value the user has put in \signaturewidth: it may be at most
      1.5pc short of \columnwidth
927 \@tempdima\signaturewidth
928 \advance\@tempdima 1.5pc
929 \ifdim \@tempdima>\columnwidth
930 \signaturewidth \columnwidth
931 \advance\signaturewidth -1.5pc
932 \fi
933 \par
934 \penalty9000
935 \vspace{#1}%
936 \rightline{%
937 \vbox{\hsize\signaturewidth \ninepoint \raggedright
938 \parindent \z@ \everypar={\hangindent 1pc }%
939 \parskip \z@skip
940 \def\|{\unskip\hfil\break}%
941 \def\|{\endgraf}%
942 \def\phone{\rm Phone: }%
943 \def\tubmultipleaffilauthor{\\ \hspace*{1em}}%
944 \rm\@signature}%
945 }%
946 \ifnum\authornumber<0 \endgroup\fi
947 }
948 \def\signaturemark{\leavevmode\llap{${\diamond}\enspace}}
      The idea here is that if multiple authors share affiliation information, we need
      only typeset the affiliation once. We separate by commas for the \maketitle,
      and put on separate lines in the \makesignature. Similarly, within \netaddress,
      !tubmultipleaffilnet separates with a space before and after the comma, while
      . (All this per bb.) See tb122childs-trotter.ltx for an example.
949 \def\tubmultipleaffilauthor{\unskip, \ignorespaces}%
950 \def\tubmultipleaffilnet{\unskip\textrm{\\,} \ignorespaces}}
      Now all the awful machinery of author definitions. \authornumber records
      the number of authors we have recorded to date.
951 \newcount\authornumber
952 \authornumber=0
      \author ‘allocates’ another author name (by bumping \authornumber) and
      also sets up the address and netaddress for this author to produce a warning and
      to prevent oddities if they’re invoked. This last assumes that invocation will be
      in the context of \signature (ltugboat.cls) or \maketitle (ltugproc.cls);
      in both cases, invocation is followed by a line break (tabular line break \\ in
      ltugproc, \endgraf in \makesignature in ltugboat).
953 \def\author{%
954 \global\advance\authornumber\@ne
955 \TB@author
956 }

```


`\contributor` is for a small part of a multiple-part article; it begins a group that will be ended in `\makesignature`.

```
957 \def\contributor{%
958   \begingroup
959   \authornumber\m@ne
960   \TB@author
961 }
```

Both ‘types’ of author fall through here to set up the author name and to initialise author-related things. `\EDITORno*` commands allow the editor to record that there’s good reason for an *address* or *netaddress* not to be there (the *personalURL* and *ORCID* are optional anyway).

```
962 \def\TB@author#1{%
963   \expandafter\def\csname theauthor\number\authornumber\endcsname
964     {\ignorespaces#1\unskip}%
965   \expandafter\def\csname theaddress\number\authornumber\endcsname
966     {\TBWarningNL{Address for #1\space missing}\@gobble}%
967   \expandafter\def\csname thenetaddress\number\authornumber\endcsname
968     {\TBWarningNL{Net address for #1\space missing}\@gobble}%
969   \expandafter\let\csname thePersonalURL\number\authornumber\endcsname
970     \@gobble
971   \expandafter\let\csname theORCID\number\authornumber\endcsname
972     \@gobble
973 }
974 \def\EDITORnoaddress{%
975   \expandafter\let\csname theaddress\number\authornumber\endcsname
976     \@gobble
977 }
978 \def\EDITORnonetaddress{%
979   \expandafter\let\csname thenetaddress\number\authornumber\endcsname
980     \@gobble
981 }
```

`\address` copies its argument into the `\theaddress<n>` for this author.

```
982 \def\address#1{%
983   \expandafter\def\csname theaddress\number\authornumber\endcsname
984     {\leavevmode\ignorespaces#1\unskip}}
```

`\network` is for use within the optional argument of `\netaddress`; it defines the *name* of the network the user is on.

Comment: I think this is a fantasy, since everyone (in practice, nowadays) quotes an internet address. In principle, there are people who will quote X.400 addresses (but they’re few and far between) and I have (during 1995!) seen an address with an UUCP bang-path component on `comp.text.tex`, but *really!*

```
985 \def\network#1{\def\@network{#1: }}}
```

`\netaddress` begins a group, executes an optional argument (which should not, presumably, contain global commands) and then relays to `\@relay@netaddress`

with both @ and % made active (so that they can be discretionary points in the address). If we're using L^AT_εE_X 2_ε, we use the default-argument form of `\newcommand`; otherwise we write it out in all its horribleness.

```
986 \newcommand{\netaddress}[1][\relax]{%
987 \begingroup
988 \def\@network{}}%
```

Unfortunately, because of the catcode hackery, we have still to do one stage of relaying within our own code, even if we're using L^AT_εE_X 2_ε.

```
989 #1\@sanitize\makespace\ \makeactive\@%
990 \makeescape! \makebgroup[ \makeegroup]% seems more useful than literals
991 \makeactive\.\makeactive%\@relay@netaddress}%
```

`\@relay@netaddress` finishes the job. It sets `\thenetaddress` for this author to contain the network name followed by the address. As a result of our kerfuffle above, @ and % are active at the point we're entered. We ensure they're active when `\thenetaddress` gets expanded, too. (*WOT?!*)

```
992 \def\@relay@netaddress#1{%
993 \ProtectNetChars
994 \expandafter\protected@xdef
995 \csname thenetaddress\number\authornumber\endcsname
996 {\protect\leavevmode\textrm{\@network}%
997 {\protect\NetAddrChars\net
998 \ignorespaces#1\unskip}}%
999 \endgroup
1000 }
```

`\personalURL` is in essence the same as `\netaddress`, apart from (1) the lack of the eccentric optional argument, and (2) the activation of '/'.

For general URLs, `url.sty` (with or without `hyperref`) suffices and is recommended.

```
1001 \def\personalURL{\begingroup
1002 \@sanitize\makespace\ \makeactive\@
1003 \makeactive\.\makeactive%\makeactive\/\@personalURL}%
1004 \def\@personalURL#1{%
1005 \ProtectNetChars
1006 \expandafter\protected@xdef
1007 \csname thePersonalURL\number\authornumber\endcsname{%
1008 \protect\leavevmode
1009 {%
1010 \protect\URLchars\net
1011 \ignorespaces#1\unskip
1012 }%
1013 }%
1014 \endgroup
1015 }
```

Define the activation mechanism for '@', '%', '.' and '/', for use in the above. Note that, since the code has '%' active, we have '*' as a comment character, which has a tendency to make things look peculiar...

```

1016 {%
1017 \makecomment\*
1018 \makeactive\@
1019 \gdef\netaddrat{\makeactive\@*
1020   \def@\discretionary{\char"40}{\char"40}}
1021 \makeactive\%
1022 \gdef\netaddrpercent{\makeactive\%*
1023   \def%\discretionary{\char"25}{\char"25}}
1024 \makeactive\.
1025 \gdef\netaddrdot{\makeactive\.*
1026   \def.\discretionary{\char"2E}{\char"2E}}

```

\NetAddrChars is what *we* use (we're constrained to retain the old interface to this stuff, but it *is* clunky...). Since URLs are a new idea, we are at liberty not to define a separate \netaddrslash command, and we only have \URLchars.

```

1027 \gdef\NetAddrChars{\netaddrat \netaddrpercent \netaddrdot}
1028 \makeactive\/
1029 \gdef\URLchars{*
1030   \NetAddrChars
1031   \makeactive\/*
1032   \def/\discretionary{\char"2F}{\char"2F}}

```

\ProtectNetChars includes protecting '/', since this does no harm in the case of net addresses (where it's not going to be active) and we thereby gain by not having yet another csname.

```

1033 \gdef\ProtectNetChars{*
1034   \def@\protect@*
1035   \def%\protect%*
1036   \def.\protect.*
1037   \def/\protect/*
1038   }
1039 }

```

L^AT_EX 2_ε (in its wisdom) suppresses \DeclareOldFontCommand when in compatibility mode, so that in that circumstance we need to use a declaration copied from latex209.def rather than the way we would normally do the thing (using the command L^AT_EX 2_ε defines for the job).

```

1040 \if@compatibility
1041   \DeclareRobustCommand{\net}{\normalfont\ttfamily\mathgroup\syntypewriter}
1042 \else
1043   \DeclareOldFontCommand{\net}{\ttfamily\upshape\mdseries}{\mathtt}
1044 \fi
1045 \def\authorlist#1{\def\@author{#1}}
1046 \def\@author{\@defaultauthorlist}

```

\ORCID inserts 'ORCID' and then argument into the \theORCID<n> for this author. Also, we want \small for this.

```

1047 \def\ORCID#1{%
1048   \expandafter\def\csname theORCID\number\authornumber\endcsname
1049     {\leavevmode \ignorespaces {\SMC ORCID} #1\unskip}}

```

For the online re-publication (as of 2009) by Mathematical Sciences Publishers <http://mathscipub.org>, lots and lots of metadata is needed, much of it redundant with things we already do. They are flexible enough to allow us to specify it in any reasonable way, so let's make one command `\mspmetavar` which takes two arguments. Example: `\mspmetavar{volumenumber}{30}`. For our purposes, it is just a no-op. And this initiative never came to anything, so it is not used at all.

```
\mspmetavar
1050 \def\mspmetavar#1#2{}
```

3.14 Article title

```
\if@articletitle \maketitle takes an optional “*”; if present, the operation is not defining the
\maketitle title of a paper, merely that of a “business” section (such as the participants at
\@r@maketitle a meeting) that has no credited author or other title. In this case, the command
flushes out the latest \sectitle (or whatever) but does nothing else.
```

Provide machinery (`\PreTitleDrop` to skip extra space, even one or more full columns, above the top of an article to leave space to paste up a previous article that has finished on the same page. This is a fall back to accommodate the fact that multiple articles cannot yet be run together easily with $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X} 2_{\epsilon}$.

In addition, if the `secondcolstart` option was specified, do `\null\newpage` to move over. This is separate from `\PreTitleDrop`, for no particular reason.

```
1051 \newif\if@articletitle
1052 \def\maketitle{\@ifstar
1053   {\@articletitlefalse\@r@maketitle}%
1054   {\@articletitletrue\@r@maketitle}%
1055 }
1056 \def\@r@maketitle{\par
1057   \ifdim\PreTitleDrop > \z@
1058     \loop
1059       \ifdim \PreTitleDrop > \textheight
1060         \vbox{\vfil\@eject
1061           \advance\PreTitleDrop by -\textheight
1062         \repeat
1063       \vbox to \PreTitleDrop{}
1064     \global\PreTitleDrop=\z@
1065 \fi
1066 \iftubsecondcolstart \null\newpage\fi
1067 \begingroup
1068 \setcounter{footnote}{0}
1069 \global\@topnum\z@ % disallow floats above the title
1070 \def\thefootnote{\fnsymbol{footnote}}
1071 \@maketitle
1072 \@thanks
1073 \endgroup
1074 \setcounter{footnote}{0}
1075 \gdef\@thanks{}
1076 }
```

`\title` We redefine the `\title` command, so as to set the `\rhTitle` command at the same
`\TB@title` time. While we're at it, we redefine it to have optional arguments for use as 'short'
versions, thus obviating the need for users to use the `\shortTitle` command.

```
1077 \def\rhTitle{}% avoid error if no author or title
1078 \renewcommand{\title}{\@dblarg\TB@title}
1079 \def\TB@title[#1]#2{\gdef\@title{#2}}%
1080 \bgroup
1081 \let\thanks\@gobble
1082 \def\{\unskip\space\ignorespaces}%
1083 \protected@xdef\rhTitle{#1}%
1084 \egroup
1085 }
```

`\shortTitle` The `\rh*` commands are versions to be used in the running head of the article.
`\ifshortAuthor` Normally, they are the same things as the author and title of the article, but in the
`\shortAuthor` case that there are confusions therein, the text should provide substitutes, using
the `\short*` commands.

```
1086 \def\shortTitle #1{\def\rhTitle{#1}}
1087 \newif\ifshortAuthor
1088 \def\shortAuthor #1{\def\rhAuthor{#1}\shortAuthortrue}
```

3.15 Section titles

The following macros are used to set the large *TUGboat* section heads (e.g. “General Delivery”, “Fonts”, etc.)

Define the distance between articles which are run together:

```
1089 \def\secsep{\vskip 5\baselineskip}
```

Note that `\stbaselineskip` is used in the definition of `\sectitlefont`, in $\text{\LaTeX} 2_{\epsilon}$, so that it has (at least) to be defined before `\sectitlefont` is used (we do the whole job).

```
1090 \newdimen\stbaselineskip \stbaselineskip=18\p@
1091 \newdimen\stfontheight
1092 \settoheight{\stfontheight}{\sectitlefont 0}
```

Declaring section titles; the conditional `\ifSecTitle` records the occurrence of a `\sectitle` command. If (when) a subsequent `\maketitle` occurs, the section title box will get flushed out; as a result of this, one could in principle have a set of `\sectitle` commands in a semi-fixed steering file, and inclusions of files inserted only as and when papers have appeared. Only the last `\sectitle` will actually be executed.

```
1093 \newif\ifWideSecTitle
1094 \newif\iftubtitlerulefullwidth
1095 \newif\ifSecTitle \SecTitlefalse
1096 \newcommand{\sectitle}{%
1097 \SecTiteltrue
1098 \@ifstar
1099 {\WideSecTiteltrue\def\s@ctitle}{%}
```

```

1100   {\WideSecTitlefalse\def\s@ctitle}%
1101 }

```

`\PreTitleDrop` records the amount of column-space we need to eject before we start any given paper. It gets zeroed after that ejection has happened.

```

1102 \newdimen\PreTitleDrop   \PreTitleDrop=\z@

```

The other parameters used in `\@sectitle`; I don't think there's the slightest requirement for them to be registers (since they're constant values, AFAIK), but converting them to macros would remove the essentially useless functionality of being able to change them using assignment, which I'm not about to struggle with just now...

`\AboveTitleSkip` and `\BelowTitleSkip` are what you'd expect; `\strulethickness` is the value to use for `\fboxrule` when setting the title, and for the rule above titles when there is no box.

```

1103 \newskip\AboveTitleSkip   \AboveTitleSkip=12\p@
1104 \newskip\BelowTitleSkip   \BelowTitleSkip=8\p@
1105 \newdimen\strulethickness  \strulethickness=.6\p@

```

`\@sectitle` actually generates the section title (in a rather generous box). It gets called from `\maketitle` under conditional `\ifSecTitle`; by the time `\@sectitle` takes control, we already have `\SecTitlefalse`. This implementation uses L^AT_EX's `\framebox` command, on the grounds that one doesn't keep a dog and bark for oneself...

```

1106 \def\@sectitle #1{%
1107   \par
1108   \penalty-1000

```

If we're setting a wide title, the stuff will be at the top of a page (let alone a column) but inside a box, so that the separator won't be discardable: so don't create the separator in this case.

```

1109   \ifWideSecTitle\else\secsep\fi
1110   {%
1111     \fboxrule\strulethickness
1112     \fboxsep\z@
1113     \noindent\framebox[\hsize]{%
1114       \vbox{%
1115         \raggedcenter
1116         \let\\ \@sectitle@newline
1117         \sectitlefont
1118         \makestrut[2\stfontheight;\z@]%
1119         #1%
1120         \makestrut[\z@;\stfontheight]\endgraf
1121       }%
1122     }%
1123   }%
1124   \nobreak
1125   \vskip\baselineskip
1126 }

```

`\@sectitle@newline` For use inside `\sectitle` as `\\`. Works similarly to `\\` in the “real world”—uses an optional argument

```
1127 \newcommand{\@sectitle@newline}[1][\z@]{%
1128   \ifdim#1>\z@
1129     \makestrut[\z@;#1]%
1130   \fi
1131   \unskip\break
1132 }
```

We need to trigger the making of a section title in some cases where we don’t have a section title proper (for example, in material taken over from TTN).

```
1133 \def\@makesectitle{\ifSecTitle
1134   \global\SecTitlefalse
1135   \ifWideSecTitle
1136     \twocolumn[\@sectitle{\s@ctitle}]%
1137     \global\WideSecTitlefalse
1138   \else
1139     \@sectitle{\s@ctitle}%
1140   \fi
1141 \else
1142   \vskip\AboveTitleSkip
1143   \kern\topskip
1144   \hrule \@height\z@ \@depth\z@ \@width 10\p@
1145   \kern-\topskip
1146   \kern-\strulethickness
1147   \iftubtitlerulefullwidth
1148     \hrule \@height\strulethickness \@depth\z@ width\textwidth
1149   \else
1150     \hrule \@height\strulethickness \@depth\z@
1151   \fi
1152   \kern\medskipamount
1153   \nobreak
1154 \fi
1155 }
```

`\@maketitle` Finally, the body of `\maketitle` itself.

```
1156 \def\@maketitle{%
1157   \@makesectitle
1158   \if@articletitle{%
1159     \nohyphens \interlinepenalty\@M
1160     \setbox0=\hbox{%
1161       \let\thanks\@gobble
1162       \let\=\quad
1163       \let\and=\quad
1164       \ignorespaces\@author}%
1165     {%
1166       \noindent\bf\raggedright\ignorespaces\frenchspacing
1167       \let\BibTeX=\bfBibTeX % else LaTeX Font Warning:
1168       % Font shape ‘OT1/cmr/bx/sc’ undefined
```

```

1169     \@title\endgraf
1170   }%
1171   \ifdim \wd0 < 5\p@           % omit if author is null
1172   \else

```

Since we have $\text{\BelowTitleSkip} + 4\text{pt} = \text{\baselineskip}$, we say:

```

1173     \nobreak \vskip 4\p@
1174   {%
1175     \leftskip=\normalparindent
1176     \raggedright
1177     \def\and{\unskip\}%
1178     \noindent\@author\endgraf
1179   }%
1180   \fi
1181   \nobreak
1182   \vskip\BelowTitleSkip
1183 } \fi%
1184 \global\@afterindentfalse
1185 \aftergroup\@afterheading
1186 }

```

Dedications are ragged right, in italics.

```

1187 \newenvironment{dedication}%
1188   {\raggedright\noindent\itshape\ignorespaces}%
1189   {\endgraf\medskip}

```

The `abstract` and `longabstract` environments both use `\section*`. For one-column articles (or in `ltugproc` class), indent the abstract. This is done in the usual bizarre L^AT_EX way, by treating it as a one-item list with an empty item marker.

```

1190 \def\@tubonecolumnabstractstart{%
1191   \list{}{\listparindent\normalparindent
1192     \itemindent\z@ \leftmargin\@tubfullpageindent
1193     \rightmargin\leftmargin \parsep \z@}\item[]\ignorespaces
1194 }
1195 \def\@tubonecolumnabstractfinish{%
1196   \endlist
1197 }
1198 \renewenvironment{abstract}%
1199   {\begin{SafeSection}%
1200     \section*{%
1201       \if@tubtwocolumn\else \hspace*\@tubfullpageindent}\fi
1202     Abstract}%
1203   \if@tubtwocolumn\else \@tubonecolumnabstractstart \fi
1204 }%
1205 {\if@tubtwocolumn\else \@tubonecolumnabstractfinish \fi
1206   \end{SafeSection}}
1207 \newenvironment{longabstract}%
1208   {\begin{SafeSection}%
1209     \section*{Abstract}%

```



```

1210   \bgroup\small
1211   }%
1212   {\endgraf\egroup
1213   \end{SafeSection}%
1214   \vspace{.25\baselineskip}
1215   \begin{center}
1216     {$--*--$}
1217   \end{center}
1218   \vspace{.5\baselineskip}}

```

3.16 Section headings

Redefine style of section headings to match plain *TUGboat*. Negative before skip suppresses following parindent. (So negate the stretch and shrink too).

These macros are called `*head` in the plain styles.

Relaying via `\TB@startsection` detects inappropriate use of `\section*`. Of course, if (when) *we* use it, we need to avoid that relaying; this can be done by `\letting \TB@startsection to \TB@safe@startsection`, within a group.

First the version for use in the default case, when class option `NUMBERSEC` is in effect.

```

1219 \def\tubsechook{}
1220 \if@numbersec
1221   \def\section{\TB@startsection{{section}%
1222     1%
1223     \z@
1224     {-8\p@ \@plus-2\p@ \@minus-2\p@}%
1225     {4\p@}%
1226     {\normalsize\bf\raggedright\hyphenpenalty\@M\tubsechook}}}
1227   \def\subsection{\TB@startsection{{subsection}%
1228     2%
1229     \z@
1230     {-8\p@ \@plus-2\p@ \@minus-2\p@}%
1231     {4\p@}%
1232     {\normalsize\bf\raggedright\hyphenpenalty\@M\tubsechook}}}
1233   \def\subsubsection{\TB@startsection{{subsubsection}%
1234     3%
1235     \z@
1236     {-8\p@ \@plus-2\p@ \@minus-2\p@}%
1237     {4\p@}%
1238     {\normalsize\bf\raggedright\hyphenpenalty\@M\tubsechook}}}
1239   \def\paragraph{\TB@startsection{{paragraph}%
1240     4%
1241     \z@
1242     {4\p@ \@plus1\p@ \@minus1\p@}%
1243     {-1em}%
1244     {\normalsize\bf\tubsechook}}}

```

Now the version if class option `NONUMBER` is in effect, i.e., if `\if@numbersec` is false.

```

1245 \else
1246   \setcounter{secnumdepth}{0}
1247   \def\section{\TB@nolimelabel
1248             \TB@startsection{section}%
1249                             1%
1250                             \z@
1251                             {-8\p@ \@plus-2\p@ \@minus-2\p@}%
1252                             {4\p@}%
1253             {\normalsize\bf\raggedright\hyphenpenalty\@M\tubsechook}}
1254   \def\subsection{\TB@nolimelabel
1255                 \TB@startsection{subsection}%
1256                                 2%
1257                                 \z@
1258                                 {-8\p@ \@plus-2\p@ \@minus-2\p@}%
1259                                 {-0.5em\@plus-\fontdimen3\font}%
1260                 {\normalsize\bf\raggedright\hyphenpenalty\@M\tubsechook}}
1261   \def\subsubsection{\TB@nolimelabel
1262                     \TB@startsection{subsubsection}%
1263                                     3%
1264                                     \parindent
1265                                     {-8\p@ \@plus-2\p@ \@minus-2\p@}%
1266                                     {-0.5em\@plus-\fontdimen3\font}%
1267                     {\normalsize\bf\raggedright\hyphenpenalty\@M\tubsechook}}
1268 \fi

```

`\TB@startsection` used to warn about * versions of sectioning commands when numbering wasn't in effect. But that eventually seemed a useless complaint, since it can be useful to switch back and forth between numbered and unnumbered can be useful during article development. So now `\TB@startsection` is just a synonym for `\@startsection`.

```
1269 \def\TB@startsection#1{\@startsection#1}%
```

`\TB@safe@startsection` is to be used where `\section*` (etc.) appear in places where the request is OK (because it's built in to some macro we don't fiddle with).

```
1270 \def\TB@safe@startsection#1{\@startsection#1}
```

The `SafeSection` environment allows use of *-forms of sectioning environments. It's not documented for the general public: it's intended as an editor's facility.

```

1271 \newenvironment{SafeSection}%
1272   {\let\TB@startsection\TB@safe@startsection}%
1273   {}

```

And now for the exciting sectioning commands that L^AT_EX defines but we don't have a definition for (whatever else, we don't want Lamport's originals, which come out 'like the blare of a bugle in a lullaby'¹).

¹Thurber, *The Wonderful O*

The three inappropriate ones are subparagraph (indistinguishable from paragraph), and chapter and part. The last seemed almost to be defined in an early version of these macros, since there was a definition of `\l@part`. I've not got down to where that came from (or why). If class option `NONUMBER` is in effect, we also suppress `\paragraph`, since it has no parallel in the plain style.

```

1274 \if@numbersec
1275   \def\subparagraph{\TB@nosection\subparagraph\paragraph}
1276 \else
1277   \def\paragraph{\TB@nosection\paragraph\subsubsection}
1278   \def\subparagraph{\TB@nosection\subparagraph\subsubsection}
1279 \fi
1280 \def\chapter{\TB@nosection\chapter\section}
1281 \def\part{\TB@nosection\part\section}
1282 \def\TB@nosection#1#2{\TBWarning{class does not support \string#1,
1283   \string#2\space used instead}#2}

```

`\l@<sectioning-name>` is for table of contents (of an article). We define new macros to allow easily changing the font used for toc entries (for *TUGboat*, we usually want roman, not bold), and the space between entries. Nelson Beebe and Frank Mittelbach's articles often have toc's (and few others). Also turn off microtype protrusion after

Contents

or leaders get messed up.

```

1284 \def\TBtocsectionfont{\normalfont}
1285 \newskip\TBtocsectionspace \TBtocsectionspace=1.0ex\@plus\p@
1286 \def\l@section#1#2{\addpenalty{\@secpenalty}%
1287   \addvspace{\TBtocsectionspace}%
1288   \@tempdima 1.5em
1289   \begingroup
1290     \parindent\z@ \rightskip\z@ % article style makes \rightskip > 0
1291     \parfillskip\z@
1292     \TBtocsectionfont
1293     \leavevmode\advance\leftskip\@tempdima\hskip-\leftskip#1\nobreak\hfil
1294     \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
1295   \endgroup}

```

3.17 Appendices

Appendices (which are really just another sort of section heading) raise a problem: if the sections are unnumbered, we plainly need to restore the section numbering, which in turn allows labelling of section numbers again (`\TBnolimelabel` happens before the `\refstepcounter`, so its effects get lost ... what a clever piece of design that was). So here we go:

```

1296 \renewcommand{\appendix}{\par

```

```

1297 \renewcommand{\thesection}{\@Alph\c@section}%
1298 \setcounter{section}{0}%
1299 \if@numbersec
1300 \else
1301   \setcounter{secnumdepth}{1}%
1302 \fi

    Now: is this the start of an appendix environment? This can be detected by
    looking at \@currenvir; if we are, we need to relay to \@appendix@env to pick
    up the optional argument.
1303 \def\@tempa{appendix}
1304 \ifx\@tempa\@currenvir
1305   \expandafter\@appendix@env
1306 \fi
1307 }

    Here we deal with \begin{appendix}[\langle app-name \rangle]
1308 \newcommand{\app@prefix@section}{}
1309 \newcommand{\@appendix@env}[1][Appendix]{%
1310   \renewcommand{\@secntformat}[1]{\csname app@prefix@##1\endcsname
1311     \csname the##1\endcsname\quad}%
1312   \renewcommand{\app@prefix@section}{#1 }%
1313 }

    Ending an appendix environment is pretty trivial...
1314 \let\endappendix\relax

```

3.18 References

If the sections aren't numbered, the natural tendency of the author to cross-reference (which, after all, is one of the things L^AT_EX is for ever being advertised as being good at) can cause headaches.

The following command is used by each of the sectioning commands to make a following `\ref` command bloop at the author. Even if the author then ignores the complaint, the poor old editor may find the offending `\label` rather more easily.

(Note that macro name is to be read as “*noli me label*” (I don't know the mediæval Latin for ‘label’).

Comment To come (perhaps): detection of the act of labelling, and an analogue of `\ifG@refundefined` for this sort of label

```

1315 \def\TB@nolimelabel{%
1316   \def\@currentlabel{%
1317     \protect\TBwarning{%
1318       Invalid reference to numbered label on page \thepage
1319       \MessageBreak made%
1320     }%
1321     \textbf{?!?}%
1322   }%
1323 }

```

3.19 Title references

This is a first cut at a mechanism for referencing by the title of a section; it employs the delightfully simple idea Sebastian Rahtz has in the `nameref` package (which is part of `hyperref`). As it stands, it lacks some of the bells and whistles of the original, but they could be added; this is merely proof-of-concept.

The name label comes from the moveable bit of the section argument; we subvert the `\@sect` and `\@ssect` commands (the latter deals with starred section commands) to grab the relevant argument.

```
1324 \let\TB@@sect\@sect
1325 \let\TB@@ssect\@ssect
1326 \def\@sect#1#2#3#4#5#6[#7]#8{%
1327   \def\@currentlabelname{#7}%
1328   \TB@@sect{#1}{#2}{#3}{#4}{#5}{#6}[{#7}]{#8}%
1329 }
1330 \def\@ssect#1#2#3#4#5{%
1331   \def\@currentlabelname{#5}%
1332   \TB@@ssect{#1}{#2}{#3}{#4}{#5}%
1333 }
```

We output the name label as a second `\newlabel` command in the `.aux` file.

That way, packages such as `varioref` which also read the `.aux` information can still work. So we redefine `\label` to first call the standard L^AT_EX `\label` and then write our named label as `nr<label>`.

```
1334 \let\@savelatexlabel=\label % so save original LaTeX command
1335 %
1336 \def\label#1{% de
1337   \@savelatexlabel{#1}%
1338   \@bspack
1339   \if@filesw
1340     \protected@write\@auxout{%
1341       {\string\newlabel{nr@#1}{\@currentlabel}{\@currentlabelname}}}%
1342   \fi
1343   \@espack
1344 }
```

Of course, in the case of a sufficiently mad author, there will be no sectioning commands, so we need to

```
1345 \let\@currentlabelname\@empty
```

Getting named references is then just like getting page references in the L^AT_EX kernel (see `ltxref.dtx`).

```
1346 \DeclareRobustCommand{\nameref}[1]{\expandafter\@setref
1347   \csname r@nr@#1\endcsname\@secondoftwo{#1}}
```

3.20 Float captions

By analogy with what we've just done to section titles and the like, we now do our best to discourage hyphenation within captions. We also typeset them in `\small` (actually `\tubcaptionfonts`).

First, let's define a dimension by which we will indent full-page captions. We'll also use this to indent abstracts in proceedings style.

`\@tubfullpageindent`

```
1348 \newdimen\@tubfullpageindent
1349 \@tubfullpageindent = \if@tubtwocolumn 4.875pc \else 3.875pc \fi
1350 \let\tubcaptionleftglue=\hfil
```

One-line captions are normally centered, but sometimes we want to set them flush-left for consistency with other nearby figures.

`\tubcaptionleftglue`

```
1351 \let\tubcaptionleftglue=\hfil
```

Ok, here is `\@makecaption`.

```
1352 \def\tubcaptionfonts{\small}%
1353 \long\def\@makecaption#1#2{%
1354   \vskip\abovecaptionskip
1355   \sbox\@tempboxa{\tubcaptionfonts \frenchspacing \tubmakecaptionbox{#1}{#2}}% try in an hbox
1356   \ifdim \wd\@tempboxa > \hsize
1357     {% caption doesn't fit on one line; set as a paragraph.
1358     \tubcaptionfonts \raggedright \hyphenpenalty=\@M \parindent=1em
1359     % indent full-width captions {figure*}, but not single-column {figure}.
1360     \ifdim\hsize = \textwidth
1361       \leftskip=\@tubfullpageindent \rightskip=\leftskip
1362       \advance\rightskip by 0pt plus2em % increase acceptable raggedness
1363     \fi
1364     \noindent \tubmakecaptionbox{#1}{#2}\par}%
1365   \else
1366     % fits on one line; use the hbox, usually centered. Do not reset its glue.
1367     \global\@minipagefalse
1368     \hb@xt@\hsize{\tubcaptionleftglue\box\@tempboxa\hfil}%
1369   \fi
1370   \vskip\belowcaptionskip}
1371 %
1372 \def\tubmakecaptionbox#1#2{#1:\ #2}% allow overriding for a paper
```

Also use `\tubcaptionfonts` for the caption labels, and put the label itself (e.g., "Figure 1") in bold.

```
1373 \def\fnun@figure{\tubcaptionfonts \bf \figurename\nobreakspace\thefigure}}
1374 \def\fnun@table{\tubcaptionfonts \bf \tablename\nobreakspace\thetable}}
```

Let's reduce the default space above captions a bit, and give it some flexibility. The default is 10pt, which seems too much.

```
1375 \setlength\abovecaptionskip{6pt plus1pt minus1pt}
```

3.21 Size changing commands

Apart from their 'normal' effects, these commands change the glue around displays.

```

1376 \renewcommand{\normalsize}{%
1377   \@setfontsize\normalsize\@xpt\@xipt
1378   \abovedisplayskip=3\p@\@plus 3\p@\@minus\p@
1379   \belowdisplayskip=\abovedisplayskip
1380   \abovedisplayshortskip=\z@\@plus 3\p@
1381   \belowdisplayshortskip=\p@\@plus 3\p@\@minus\p@
1382 }
1383
1384 \renewcommand{\small}{%
1385   \@setfontsize\small\@ixpt{11}%
1386   \abovedisplayskip=2.5\p@\@plus 2.5\p@\@minus\p@
1387   \belowdisplayskip=\abovedisplayskip
1388   \abovedisplayshortskip=\z@\@plus 2\p@
1389   \belowdisplayshortskip=\p@\@plus 2\p@\@minus\p@
1390 }
1391
1392 \renewcommand{\footnotesize}{%
1393   \@setfontsize\footnotesize\@viiipt{9.5}%
1394   \abovedisplayskip=3\p@\@plus 3\p@\@minus\p@
1395   \belowdisplayskip=\abovedisplayskip
1396   \abovedisplayshortskip=\z@\@plus 3\p@
1397   \belowdisplayshortskip=\p@\@plus 3\p@\@minus\p@
1398 }

```

3.22 Lists and other text inclusions

```

1399 \def\@listi{%
1400   \leftmargin\leftmargini\parsep=\p@\@plus\p@\@minus\p@
1401   \itemsep=\parsep
1402   \listparindent=1em
1403 }
1404
1405 \def\@listii{%
1406   \leftmargin\leftmarginii
1407   \labelwidth=\leftmarginii \advance\labelwidth-\labelsep
1408   \topsep=2\p@\@plus\p@\@minus\p@
1409   \parsep=\p@\@plus\p@\@minus\p@
1410   \itemsep=\parsep
1411   \listparindent=1em
1412 }
1413
1414 \def\@listiii{%
1415   \leftmargin=\leftmarginiii
1416   \labelwidth=\leftmarginiii \advance\labelwidth-\labelsep
1417   \topsep=\p@\@plus\p@\@minus\p@
1418   \parsep=\z@
1419   \itemsep=\topsep
1420   \listparindent=1em
1421 }
1422 \def\quote{\list{}{\rightmargin.5\leftmargin}\item[]}

```

From Dominik Wujastyk’s font article. First paragraph of a quotation will not be indented, and right margin is decreased for narrow columns.

```

1423 \renewcommand{\quotation}{\list{}{\listparindent 1.5em
1424   \rightmargin.5\leftmargin\parsep \z@\@plus\p@}\item[]}
```

The `compactitemize`, `compactenumerate`, and `compactdescription` environments, without space between the items.

```

1425 \newenvironment{compactitemize}%
1426   {\begin{itemize}%
1427     \setlength{\itemsep}{0pt}%
1428     \setlength{\parskip}{0pt}%
1429     \setlength{\parsep}{0pt}%
1430   }%
1431   {\end{itemize}}
1432 %
1433 \newenvironment{compactenumerate}%
1434   {\begin{enumerate}%
1435     \setlength{\itemsep}{0pt}%
1436     \setlength{\parskip}{0pt}%
1437     \setlength{\parsep}{0pt}%
1438   }%
1439   {\end{enumerate}}
1440 %
1441 \newenvironment{compactdescription}%
1442   {\begin{description}%
1443     \setlength{\itemsep}{0pt}%
1444     \setlength{\parskip}{0pt}%
1445     \setlength{\parsep}{0pt}%
1446   }%
1447   {\end{description}}
1448 %
```

3.23 Some fun with verbatim

The plain *TUGboat* style allows [optional] arguments to its `\verbatim` command. This will allow the author (or editor) to specify a range of exciting features; we would definitely like the numbered verbatim style for code (that facility is reserved for a future version of this package), and the present little bit of code imposes the `\ruled` option on the built-in `verbatim` environment. (Note that we don’t yet deal with `verbatim*`, which is in itself an option to the `plain` original.)

We start by saving various bits and bobs whose operation we’re going to subvert.

```

1449 %\let\@TB@verbatim\@verbatim
1450 \let\@TBverbatim\verbatim
1451 \let\@TBendverbatim\endverbatim
```

Impose an optional argument on the environment.

We start the macro with `\par` to avoid a common error: if the optional argument is `\small`, and the document has no blank line before the verbatim block, we don’t want that preceding paragraph to be set with `\small`’s line spacing.

(\obeylines added to prevent the \futurelet from propagating into the body of the verbatim, thus causing lines that start with odd characters (like # or even \) to behave peculiarly.)

```

1452 \def\verbatim{\par\obeylines
1453 \futurelet\reserved@a\@switch@sqbverbatim}
1454 %
1455 \def\@switch@sqbverbatim{\ifx\reserved@a[%]
1456 \expandafter\@sqbverbatim\else
1457 \def\reserved@b{\@sqbverbatim[]}\expandafter\reserved@b\fi}
1458 %
1459 \def\@sqbverbatim[#1]{%

```

The optional argument consists entirely of functions that modify the appearance of the environment. Following the plain style, we define the functions we can execute in the optional argument here.

The command \ruled tells us that there should be rules above and below the verbatim block.

```

1460 \def\ruled{\let\if@ruled\iftrue}%
    The command \makevmeta says to make !i...i do <...>.
1461 \def\makevmeta{\makeescape\! \let\<\tubverb@meta \tubverb@clearliglist}
1462 \def\tubverb@meta##1>{\meta{##1}}

```

The default verbatim defines ‘i,,- as active characters to do stop ligatures; remove i, from the list so we get normal characters. Just hope that the CM i, ligatures aren’t used.

```

1463 \def\tubverb@clearliglist{%
1464 \def\verbatim@nolig@list{\do\‘\do\,\do\’\do\-\}%
1465 }

```

Then we execute the arguments we’ve got, and relay to a (hacked) copy of the L^AT_EX verbatim environment.

```

1466 #1\@TBverbatim}

```

The built-in environment itself relays to \@verbatim, which we’ve subverted to impose our views on appearance.

```

1467 \def\@verbatim{%
    First, we deal with \ruled:
1468 \if@ruled\trivlist\item\hrule\kern5\p@\nobreak\fi
    Now, the code out of the original verbatim environment:
1469 \trivlist \item\relax
1470 \if@minipage\else\vskip\parskip\fi
1471 \leftskip\@totalleftmargin\rightskip\z@skip
1472 \parindent\z@\parfillskip\@flushglue\parskip\z@skip
1473 \@@par
1474 \@tempwafalse
1475 \def\par{%

```

```

1476 \if@tempswa
1477 \leavevmode \null \@@par\penalty\interlinepenalty
1478 \else
1479 \@tempwattrue
1480 \ifhmode\@@par\penalty\interlinepenalty\fi
1481 \fi}%
1482 \obeylines \verbatim@font \@noligs
1483 \let\do\@makeoother \dospecials
1484 \everypar \expandafter{\the\everypar \unpenalty}%
1485 }% end |\@sqbverbatim|

```

To end the environment, we do everything in reverse order: relay via the copy we made of `\endverbatim`, and then finish off the option changes (again `\ruled` only, so far).

```

1486 \def\endverbatim{\@TBendverbatim
1487 \if@ruled\kern5\p@\hrule\endtrivlist\fi}

```

Define the `\if` used by the `\ruled` option:

```

1488 \let\if@ruled\iffalse

```

Finally, if `microtype` is loaded, we want it to be deactivated in verbatim blocks. It often manipulates a leading `\` rather too much, and messes with the visible fixed-width alignment.

```

1489 \AtBeginDocument{%
1490 \ifpackageloaded{microtype}
1491 {\g@addto@macro\@verbatim{\microtypesetup{activate=false}}}{-}
1492 }

```

3.24 Bibliography

This is more or less copied verbatim from Glenn Paulley's *chicago.sty* (gnpaulle@bluebox.uwaterloo.ca). It produces an author-year citation style bibliography, using output from the `BIBTEX` style file based on that by Patrick Daly. It needs extra macros beyond those in standard `LATEX` to function properly. The form of the `bibitem` entries is:

```

\bibitem[\protect\citeauthoryear{Jones, Baker, and Smith}
{Jones et al.}{1990}{key}...]

```

The available citation commands are:

```

\cite{key}      → (Jones, Baker, and Smith 1990)
\citeA{key}    → (Jones, Baker, and Smith)
\citeNP{key}   → Jones, Baker, and Smith 1990
\citeANP{key}  → Jones, Baker, and Smith
\citeN{key}    → Jones, Baker, and Smith (1990)
\shortcite     → (Jones et al. 1990)
\citeyear      → (1990)
\citeyearNP    → 1990

```

First of all (after checking that we're to use Harvard citation at all), make a copy of L^AT_EX's default citation mechanism.

```
1493 \if@Harvardcite
1494 \let\@internalcite\cite
```

Normal forms.

```
1495 \def\cite{\def\@citeseppen{-1000}%
1496   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1497   \def\citeauthoryear##1##2##3{##1, ##3}\@internalcite}
1498 \def\citeNP{\def\@citeseppen{-1000}%
1499   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1500   \def\citeauthoryear##1##2##3{##1, ##3}\@internalcite}
1501 \def\citeN{\def\@citeseppen{-1000}%
1502   \def\@cite##1##2{##1\if@tempswa , ##2}\else{}}\fi}%
1503   \def\citeauthoryear##1##2##3{##1 (##3)\@citedata}
1504 \def\citeA{\def\@citeseppen{-1000}%
1505   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1506   \def\citeauthoryear##1##2##3{##1}\@internalcite}
1507 \def\citeANP{\def\@citeseppen{-1000}%
1508   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1509   \def\citeauthoryear##1##2##3{##1}\@internalcite}
```

Abbreviated forms (using *et al.*)

```
1510 \def\shortcite{\def\@citeseppen{-1000}%
1511   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1512   \def\citeauthoryear##1##2##3{##2, ##3}\@internalcite}
1513 \def\shortciteNP{\def\@citeseppen{-1000}%
1514   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1515   \def\citeauthoryear##1##2##3{##2, ##3}\@internalcite}
1516 \def\shortciteN{\def\@citeseppen{-1000}%
1517   \def\@cite##1##2{##1\if@tempswa , ##2}\else{}}\fi}%
1518   \def\citeauthoryear##1##2##3{##2 (##3)\@citedata}
1519 \def\shortciteA{\def\@citeseppen{-1000}%
1520   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1521   \def\citeauthoryear##1##2##3{##2}\@internalcite}
1522 \def\shortciteANP{\def\@citeseppen{-1000}%
1523   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1524   \def\citeauthoryear##1##2##3{##2}\@internalcite}
```

When just the year is needed:

```
1525 \def\citeyear{\def\@citeseppen{-1000}%
1526   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1527   \def\citeauthoryear##1##2##3{##3}\@citedata}
1528 \def\citeyearNP{\def\@citeseppen{-1000}%
1529   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1530   \def\citeauthoryear##1##2##3{##3}\@citedata}
```

Place commas in-between citations in the same `\citeyear`, `\citeyearNP`, `\citeN`, or `\shortciteN` command. Use something like `\citeN{ref1,ref2,ref3}` and `\citeN{ref4}` for a list.

```

1531 \def\@citedata{%
1532     \ifnextchar [{\@tempwatrue\@citedatax}%
1533     {\@tempwafalse\@citedatax[]}%
1534 }
1535
1536 \def\@citedatax[#1]#2{%
1537 \if@filesw\immediate\write\@auxout{\string\citation{#2}}\fi%
1538 \def\@citea{}\@cite{\@for\@citeb:=#2\do%
1539     {\@citea\def\@citea{, }\@ifundefined% by Young
1540         {b@\@citeb}{\bf ?}%
1541         \@warning{Citation '\@citeb' on page \thepage \space undefined}}%
1542 {\csname b@\@citeb\endcsname}}{#1}}%

```

Don't box citations, separate with ; and a space; Make the penalty between citations negative: a good place to break.

```

1543 \def\@citex[#1]#2{%
1544 \if@filesw\immediate\write\@auxout{\string\citation{#2}}\fi%
1545 \def\@citea{}\@cite{\@for\@citeb:=#2\do%
1546     {\@citea\def\@citea{; }\@ifundefined% by Young
1547         {b@\@citeb}{\bf ?}%
1548         \@warning{Citation '\@citeb' on page \thepage \space undefined}}%
1549 {\csname b@\@citeb\endcsname}}{#1}}%

```

No labels in the bibliography.

```

1550 \def\@biblabel#1{}

```

Set length of hanging indentation for bibliography entries.

```

1551 \newlength{\bibhang}
1552 \setlength{\bibhang}{2em}

```

Indent second and subsequent lines of bibliographic entries. Stolen from openbib.sty: \newblock is set to {}.

```

1553 \newdimen\bibindent
1554 \bibindent=1.5em
1555 \@ifundefined{refname}%
1556     {\newcommand{\refname}{References}}%
1557     {}%

```

For safety's sake, suppress the \TB@startsection warnings here...

```

1558 \def\thebibliography#1{% for harvardcite
1559     \let\TB@startsection\TB@safe@startsection
1560     \section*{\refname
1561         \@mkboth{\uppercase{\refname}}{\uppercase{\refname}}}%
1562     \list{[\arabic{enumi}]}{%
1563         \labelwidth\z@ \labelsep\z@
1564         \leftmargin\bibindent
1565         \itemindent -\bibindent
1566         \listparindent \itemindent
1567         \parsep \z@
1568         \usecounter{enumi}}%
1569     \def\newblock{}%

```

```

1570 \BibJustification
1571 \frenchspacing % more than just period, see comments below
1572 }

```

etal Other bibliography odds and ends.

```

\bibentry 1573 \def\etal{et\,al.\@}
1574 \def\bibentry{%
1575 \smallskip
1576 \hangindent=\parindent
1577 \hangafter=1
1578 \noindent
1579 \sloppy
1580 \clubpenalty500 \widowpenalty500
1581 \frenchspacing
1582 }

```

\bibliography Changes made to accommodate TUB file naming conventions

```

\bibliographystyle 1583 \def\bibliographystyle#1{%
1584 \if@filesw
1585 \immediate\write\@auxout{\string\bibdata{\@tubfilename{#1}}}%
1586 \fi
1587 \@input{\jobname.bbl}%
1588 }
1589 \def\bibliographystyle#1{%
1590 \if@filesw
1591 \immediate\write\@auxout{\string\bibstyle{\@tubfilename{#1}}}%
1592 \fi
1593 }

```

\thebibliography If the user's asked to use L^AT_EX's default citation mechanism (using the `rawcite` option), we still need to patch `\sloppy` to support justification of the body of the bibliography. We kludge in a call to `\frenchspacing` too, since there is no reason to change only period's `\sfcode`, as L^AT_EX's original `thebibliography` (in `classes.dtx`) does.

By the way, `amsgen.sty` changes `\frenchspacing` to set the `\sfcode` of punctuation character to successively decreasing integers ending at 1001 for comma. Thus its 1006 for period is overwritten to 1000 for `thebibliography`, making `amsgen's \@addpunct` ineffective. Don't know what that means in practice, if anything.

Back here, we also play with `The TEXbook@startsection` since we always have, though that is no longer needed.

```

1594 \else % not harvardcite
1595 \let\TB@origthebibliography\thebibliography
1596 \def\thebibliography{%
1597 \let\TB@startsection\TB@safe@startsection
1598 \def\sloppy{\frenchspacing\BibJustification}%
1599 \TB@origthebibliography} % latex's thebibliography now reads args.
1600 \fi % not harvardcite

```

```

\BibJustification \BibJustification defines how the bibliography is to be justified. The Lamport
\SetBibJustification default is simply “\sloppy”, but we regularly find some sort of ragged right setting
\TB@sloppy is appropriate. (\BibJustification is nevertheless reset to its default value at
the start of a paper.)
1601 \let\TB@sloppy\sloppy
1602 \let\BibJustification\TB@sloppy
1603 \newcommand{\SetBibJustification}[1]{%
1604 \renewcommand{\BibJustification}{#1}%
1605 }
1606 \ResetCommands\expandafter{\the\ResetCommands
1607 \let\BibJustification\TB@sloppy
1608 }

```

3.25 Registration marks

We no longer use these since Cadmus does not want them.

```

1609 \def\HorzR@gisterRule{\vrule \@height 0.2\p@ \@depth\z@ \@width 0.5in }
1610 \def\DownShortR@gisterRule{\vrule \@height 0.2\p@ \@depth 1pc \@width 0.2\p@ }
1611 \def\UpShortR@gisterRule{\vrule \@height 1pc \@depth\z@ \@width 0.2\p@ }
“T” marks centered on top and bottom edges of paper
1612 \def\ttopregister{\dlap{%
1613 \hb@xt@\trimwd{\HorzR@gisterRule \hfil \HorzR@gisterRule
1614 \HorzR@gisterRule \hfil \HorzR@gisterRule}%
1615 \hb@xt@\trimwd{\hfil \DownShortR@gisterRule \hfil}}}
1616 \def\tbotregister{\ulap{%
1617 \hb@xt@\trimwd{\hfil \UpShortR@gisterRule \hfil}%
1618 \hb@xt@\trimwd{\HorzR@gisterRule \hfil \HorzR@gisterRule
1619 \HorzR@gisterRule \hfil \HorzR@gisterRule}}}
1620 \def\topregister{\ttopregister}
1621 \def\botregister{\tbotregister}

```

3.26 Running headers and footers

```

1622 \def\rtitlex{\def\texttub##1{{\normalsize\textrm{##1}}}\TUB, \volx}
registration marks; these are temporarily inserted in the running head
1623 \def\MakeRegistrationMarks{}
1624 \def\UseTrimMarks{%
1625 \def\MakeRegistrationMarks{%
1626 \ulap{\rlap{%
1627 \vbox{\dlap{\vbox to\trimlgt{\vfil\botregister}}}%
1628 \topregister\vskip \headmargin \vskip 10\p@}}}%
1629 }
1630 % put issue identification and page number in header.
1631 \def\@oddhead{\MakeRegistrationMarks
1632 \frenchspacing
1633 \normalsize\csname normalshape\endcsname\rm \tubheadhook
1634 \rtitlex\quad \midrtitlex\hfil \rtitlenexttopage\quad \thepage}

```

```

1635 \def\@evenhead{\MakeRegistrationMarks
1636   \frenchspacing
1637   \normalsize\csname normalshape\endcsname\rm \tubheadhook
1638   \thepage \quad\rtitlenexttopage \hfil\midrttitle \quad\rtitlex}
1639
1640 % can be used to reset the font, e.g., tb98kuester.
1641 \def\tubheadhook{}
1642
1643 % in case the official \author is too verbose for the footline.
1644 % (the \shortauthor / \rhAuthor stuff is only enabled for proceedings, fix!)
1645 \def\tubrunningauthor{\@author}
1646
1647 % put title and author in footer.
1648 \def\@tubrunningfull{%
1649   \def\@oddfoot{% make line break commands produce a normal space
1650     \def\{\unskip\ \ignorespaces}%
1651     \let\newline=\%
1652     \tubtypesetdoi
1653     \frenchspacing\hfil\rhTitle}
1654   \def\@evenfoot{%
1655     \let\thanks\@gobble
1656     \tubtypesetdoi
1657     \frenchspacing\tubrunningauthor\hfil}
1658 }
1659
1660 % empty footer.
1661 \def\@tubrunningminimal{%
1662   \def\@oddfoot{\tubtypesetdoi\hfil}%
1663   \def\@evenfoot{\tubtypesetdoi\hfil}%
1664 }
1665
1666 % empty footer and header.
1667 \def\@tubrunningoff{%
1668   \@tubrunningminimal
1669   \def\@oddhead{\hfil}%
1670   \def\@evenhead{\hfil}%
1671 }
1672
1673 \def\ps@headings{}
1674 \pagestyle{headings}

```

Typeset the doi. The format we decided on looks like: <https://doi.org/10.47397/tb/41-3/tb129ma> where the last element is (usually) the `\jobname`.

We put this below the footline. The footer definitions above specify that it is always called, even if the regular footer is empty.

If the article started in the second column (option `[secondcolstart]`), have to manually move the doi over.

We do not check for validity of `\volno`, etc. For testing, etc., seems simpler to just typeset what we've got.

But don't do any of this yet. Maybe for 42:1.

```

1675 %
1676 \def\tubdoiprefix{10.47397/tb} % the number crossref assigned us
1677 %
1678 \def\notyettubtypesetdoi{\iftubfinaloption % do this if [final], even if pageno>900
1679 \vbox to Opt{% don't impact normal layout
1680 \edef\thedoi{\ifnum\value{page}>900 xnot\fi % but make url invalid if >900
1681 doi.org/\tubdoiprefix/\volno-\issno/\jobname}%
1682 \scriptsize
1683 \vskip\baselineskip
1684 \iftubsecondcolstart \moveright \tubcolwidthhandgutter \fi
1685 \rlap{\expandafter\tbsurl\expandafter{\thedoi}}%
1686 \vss
1687 }%
1688 \global\let\tubtypesetdoi\empty % only do it once, no matter what.
1689 \fi}
1690 %
1691 \def\tubtypesetdoi{}
1692 %

```

3.27 Output routine

Modified to alter `\brokenpenalty` across columns

Comment We're playing with fire here: for example, `\@outputdblcol` has changed in L^AT_EX 2_ε for 1995/06/01 (with the use of `\hb@xt@`). *This* time there's no semantic change, but...

```

1693 \def\@outputdblcol{\if@firstcolumn \global\@firstcolumnfalse
1694 \global\setbox\@leftcolumn\box\@outputbox
1695 \global\brokenpenalty10000
1696 \else \global\@firstcolumntrue
1697 \global\brokenpenalty100
1698 \setbox\@outputbox\vbox{\hb@xt@\textwidth{\hb@xt@\columnwidth
1699 {\box\@leftcolumn \hss}\hfil \vrule \@width\columnseprule\hfil
1700 \hb@xt@\columnwidth{\box\@outputbox \hss}}}\@combinedblfloats
1701 \@outputpage \begingroup \@dblfloatplacement \@startdblcolumn
1702 \@whilesw\if@fcolmade \fi{\@outputpage\@startdblcolumn}\endgroup
1703 \fi}

```

3.28 Font-related definitions and machinery

These are mostly for compatibility with plain `tugboat.sty`

```

1704 \newif\ifFirstPar \FirstParfalse
1705 \def\smc{\sc}
1706 \def\ninepoint{\small}
1707 \</classtail>

```

`\SMC` *isn't* small caps—Barbara Beeton says she thinks of it as “big small caps”. She says (modulo capitalisation of things...):

For the things it’s used for, regular small caps are not appropriate—they’re too small. Real small caps are appropriate for author names (and are so used in continental bibliographies), section headings, running heads, and, on occasion, words to which some emphasis is to be given. `\SMC` was designed to be used for acronyms and all-caps abbreviations, which look terrible in small caps, but nearly as bad in all caps in the regular text size. The principle of using “one size smaller” than the text size is similar to the design of caps in German—where they are smaller relative to lowercase than are caps in fonts intended for English, to improve the appearance of regular text in which caps are used at the heads of all nouns, not just at the beginnings of sentences.

We define this in terms of the memory of the size currently selected that’s maintained in `\@currsize`: if the user does something silly re. selecting fonts, we’ll get the wrong results. The following code is adapted from an old version of `resize.sty` by Donald Arseneau and Matt Swift. (The order of examination of `\@currsize` is to get the commonest cases out of the way first.)

```

1708 ⟨*common⟩
1709 \DeclareRobustCommand{\SMC}{%
1710   \ifx\@currsize\normalsize\small\else
1711   \ifx\@currsize\small\footnotesize\else
1712   \ifx\@currsize\footnotesize\scriptsize\else
1713   \ifx\@currsize\large\normalsize\else
1714   \ifx\@currsize\Large\large\else
1715   \ifx\@currsize\LARGE\Large\else
1716   \ifx\@currsize\scriptsize\tiny\else
1717   \ifx\@currsize\tiny\tiny\else
1718   \ifx\@currsize\huge\LARGE\else
1719   \ifx\@currsize\Huge\huge\else
1720   \small\SMC@unknown@warning
1721 \fi\fi\fi\fi\fi\fi\fi\fi\fi\fi
1722 }
1723 \newcommand{\SMC@unknown@warning}{\TBWarning{\string\SMC: nonstandard
1724   text font size command -- using \string\small}}
1725 \newcommand{\textSMC}[1]{\SMC #1}

```

The `\acro` command uses `\SMC` as it was originally intended. Since these things are uppercase-only, it fiddles with the spacefactor after inserting its text.

```

1726 \newcommand{\acro}[1]{\textSMC{#1}\@}
1727 ⟨/common⟩

```

3.29 Miscellaneous definitions

`\EdNote` allows the editor to enter notes in the text of a paper. If the command is given something that appears like an optional argument, the entire text of the note is placed in square brackets. (Yes, it really is!)

```

1728 ⟨*classtail⟩
1729 \def\xEdNote{\EdNoteFont Editor’s note:\enspace }

```

```

1730 \def\EdNote{\@ifnextchar [%]
1731   {%
1732     \ifvmode
1733       \smallskip\noindent\let\@EdNote@\@EdNote@
1734     \else
1735       \unskip\quad\def\@EdNote@{\unskip\quad}%
1736     \fi
1737     \@EdNote
1738   }%
1739   \xEdNote
1740 }
1741 \long\def\@EdNote[#1]{%
1742   [\thinspace\xEdNote\ignorespaces
1743   #1%
1744   \unskip\thinspace]%
1745   \@EdNote@
1746 }
1747 \def\@EdNote@v{\par\smallskip}

```

Macros for Mittelbach's self-documenting style

```

1748 \def\SelfDocumenting{%
1749   \setlength\textwidth{31pc}
1750   \onecolumn
1751   \parindent \z@
1752   \parskip 2\p@\@plus\p@\@minus\p@
1753   \oddsidemargin 8pc
1754   \evensidemargin 8pc
1755   \marginparwidth 8pc
1756   \toks@expandafter{\@oddhead}%
1757   \xdef\@oddhead{\hss\hb@xt@\pagewd{\the\toks@}}%
1758   \toks@expandafter{\@evenhead}%
1759   \xdef\@evenhead{\hss\hb@xt@\pagewd{\the\toks@}}%
1760   \def\ps@titlepage{}%
1761 }
1762 \def\ps@titlepage{}
1763
1764 \long\def\@makefntext#1{\parindent 1em\noindent\hb@xt@2em{}}%
1765   \llap{\@makefnmark}\null$\mskip5mu$#1}
1766
1767 %% \long\def\@makefntext#1{\parindent 1em
1768 %%   \noindent
1769 %%   \hb@xt@2em{\hss\@makefnmark}%
1770 %%   \hskip0.27778\fontdimen6\textfont\z@\relax
1771 %%   #1%
1772 %% }

```

`\tubraggedfoot` To get a ragged-right footnote.

```
1773 \newcommand{\tubraggedfoot}{\rightskip=\raggedskip plus\raggedstretch\relax}
```

`\creditfootnote` Sometimes we want the label “Editor’s Note:”, sometimes not.

`\supportfootnote`

```

1774 \def\creditfootnote{\nomarkfootnote\xEdNote}
1775 \def\supportfootnote{\nomarkfootnote\relax}

```

General macro `\nomarkfootnote` to make a footnote without a reference mark, etc. #1 is an extra command to insert, #2 the user's text.

```

1776 \gdef\nomarkfootnote#1#2{\begingroup
1777   \def\thefootnote{}%
1778   % no period, please, also no fnmark.
1779   \def\@makefntext##1{##1}%
1780   \footnotetext{\noindent #1#2}%
1781   \endgroup
1782 }

```

3.30 Initialization

If we're going to use Harvard-style bibliographies, we set up the bibliography style: the user doesn't get any choice.

```

1783 \if@Harvardcite
1784   \AtBeginDocument{%
1785     \bibliographystyle{ltugbib}%
1786   }
1787 \fi
1788 \authornumber\z@
1789 \let\@signature\@defaultsignature
1790 \InputIfFileExists{ltugboat.cfg}{\TBInfo{Loading ltugboat
1791                                           configuration information}}{}
1792 </classtail>

```

4 L^AT_EX 2_ε Proceedings class

`\@tugclass` Make the code of `ltugboat.cls` (when we load it) say it's really us:

```

1793 <*tugproccls>
1794 \def\@tugclass{ltugproc}

```

`\if@proc@sober` TUG'96 proceedings switched to more sober headings still; so the `tug95` option establishes the original state. In the absence of any other guidance, we use the '96 for TUG'97 proceedings, but also allow numbering of sections.

```

1795 \newif\if@proc@sober
1796 \newif\if@proc@numerable
1797 \DeclareOption{tug95}{%
1798   \@proc@soberfalse
1799   \@proc@numerablefalse
1800 }
1801 \DeclareOption{tug96}{%
1802   \@proc@sobertrue
1803   \@proc@numerablefalse
1804 }

```

```

1805 \DeclareOption{tug97}{%
1806   \@proc@sobertrue
1807   \@proc@numerabletrue
1808 }
1809 \DeclareOption{tug2002}{%
1810   \@proc@sobertrue
1811   \@proc@numerabletrue
1812   \let\if@proc@numbersec\iftrue
1813   \PassOptionsToClass{numbersec}{ltugboat}%
1814 }

```

`\if@proc@numbersec` If we're in a class that allows section numbering (the actual check occurs after `\ProcessOptions`, we can have the following:

```

1815 \DeclareOption{numbersec}{\let\if@proc@numbersec\iftrue
1816   \PassOptionsToClass{numbersec}{ltugboat}%
1817 }
1818 \DeclareOption{nonumber}{\let\if@proc@numbersec\iffalse
1819   \PassOptionsToClass{nonumber}{ltugboat}%
1820 }

```

`\ifTB@title` If we have a paper for which we want to create a detached title, with an editor's note, and then set the paper separately, we use option `notitle`.

```

1821 \newif\ifTB@title
1822 \DeclareOption{title}{\TB@titletrue}
1823 \DeclareOption{notitle}{\TB@titlefalse}
1824 \AtBeginDocument{\stepcounter{page}}

```

There are these people who seem to think `tugproc` is an option as well as a class...

```

1825 \DeclareOption{tugproc}{%
1826   \ClassWarning{\@tugclass}{Option \CurrentOption\space ignored}%
1827 }

```

All other options are simply passed to `ltugboat`...

```

1828 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{ltugboat}}

```

If there's a `tugproc` defaults file, input it now: it may tell us which year we're to perform for... (Note: this code *is* millenium-proof. It's not terribly classy for years beyond 2069, but then I'm not going to be around then—this will be an interesting task for a future `TeXie`...)

```

1829 \InputIfFileExists{\@tugclass.cfg}{\ClassInfo{ltugproc}%
1830   {Loading ltugproc configuration information}}{}
1831 \@ifundefined{TUGprocExtraOptions}{%
1832   {\let\TUGprocExtraOptions\@empty}}%
1833   {\edef\TUGprocExtraOptions{,\TUGprocExtraOptions}}

```

`\tugProcYear` Now work out what year it is

```

1834 \@tempcnta\year
1835 \ifnum\@tempcnta<2000

```

```

1836 \divide\@tempcnta by100
1837 \multiply\@tempcnta by100
1838 \advance\@tempcnta-\year
1839 \@tempcnta-\@tempcnta
1840 \fi

```

And use that for calculating a year for us to use.

```

1841 \edef\@tempa{\noexpand\providecommand\noexpand\tugProcYear
1842             {\ifnum10>\@tempcnta0\fi\the\@tempcnta}}
1843 \@tempa
1844 \ClassInfo{ltugproc}{Class believes year is
1845 \expandafter\ifnum\tugProcYear<2000 19\fi\tugProcYear
1846 \@gobble}

```

Check that this is a “sensible year” (one for which we have a class option defined). If not, make it a ‘suitable’ year, in particular, one that allows numbering sections.

```

1847 \expandafter\ifx\csname ds@tug\tugProcYear\endcsname\relax
1848 \def\tugProcYear{2002}\fi

```

Now execute the default ‘year’ option and get on with processing. Note that this command gets ignored if the configuration file specifies a silly year.

```

1849 \ExecuteOptions{tug\tugProcYear,titleTUGprocExtraOptions}
1850 \ProcessOptions
1851 \if@proc@numbersec
1852 \if@proc@numerable
1853 \else
1854 \ClassWarning{\@tugclass}{This year’s proceedings may not have
1855 numbered sections}%
1856 \fi
1857 \fi

```

Call `ltugboat`, adding whichever section numbering option is appropriate

```

1858 \LoadClass[\if@proc@numbersec numbersec\else nonumber\fi]{ltugboat}

```

4.1 Proceedings titles

`\maketitle` There’s no provision for ‘section titles’ in proceedings issues, as there are in *TUGboat* proper. Note the tedious L^AT_EX bug-avoidance in the `\@TB@test@document` macro.

```

1859 \def\maketitle{%
1860 \begingroup

```

first, a bit of flim-flam to generate an initial value for `\rhAuthor` (unless the user’s already given one with a `\shortAuthor` command).

```

1861 \ifshortAuthor\else
1862 \global\let\rhAuthor\@empty
1863 \def\g@addto@rhAuthor##1{%
1864 \begingroup

```

```

1865         \toks@\expandafter{\rhAuthor}%
1866         \let\thanks@gobble
1867         \protected@xdef\rhAuthor{\the\toks@##1}%
1868     \endgroup
1869 }%
1870 \@getauthorlist@g@addto@rhAuthor
1871 \fi

now, the real business of setting the title

1872 \ifTB@title
1873     \setcounter{footnote}{0}%
1874     \renewcommand{\thefootnote}{\@fnsymbol\c@footnote}%
1875     \if@tubtwocolumn
1876         \twocolumn[\@maketitle]%
1877     \else
1878         \onecolumn
1879         \global\@topnum\z@
1880         \@maketitle
1881     \fi
1882     \@thanks
1883     \thispagestyle{TBproctitle}
1884 \fi
1885 \endgroup
1886 \TB@madetitletrue
1887 }
1888 \newif\ifTB@madetitle \TB@madetitlefalse

```

`\@TB@test@document` `\@TB@test@document` checks to see, at entry to `\maketitle`, if we've had `\begin{document}`. See L^AT_EX bug report latex/2212, submitted by Robin Fairbairns, for details.

```

1889 \def\@TB@test@document{%
1890     \edef\@tempa{\the\everypar}
1891     \def \@tempb{\@nodocument}
1892     \ifx \@tempa\@tempb
1893         \@nodocument
1894     \fi
1895 }

```

`\AUTHORfont` Define the fonts for titles and things

```

\TITLEfont 1896 \def\AUTHORfont {\large\rmfamily\mdseries\upshape}
\addressfont 1897 \def\TITLEfont {\Large\rmfamily\mdseries\upshape}
\netaddrfont 1898 \def\addressfont{\small\rmfamily\mdseries\upshape}
1899 \def\netaddrfont{\small\ttfamily\mdseries\upshape}

```

`\aboveauthorskip` Some changeable skips to permit variability in page layout depending on the particular paper's page breaks.

```

\belowauthorskip
\belowabstractskip 1900 \newskip\aboveauthorskip \aboveauthorskip=18\p@ \@plus4\p@
1901 \newskip\belowauthorskip \belowauthorskip=\aboveauthorskip
1902 \newskip\belowabstractskip \belowabstractskip=14\p@ \@plus3\p@ \@minus2\p@

```

```

\@maketitle The body of \@maketitle
1903 \def\@maketitle{%
1904   {\parskip\z@
1905     \frenchspacing
1906     \TITLEfont\raggedright\noindent\@title\par
1907     \count@=0
1908     \loop
1909     \ifnum\count@<\authornumber
1910       \vskip\aboveauthorskip
1911       \advance\count@\@ne
1912       {\AUTHORfont\theauthor{\number\count@}\endgraf}%
1913       \addressfont\theaddress{\number\count@}\endgraf
1914       {%
1915         \allowhyphens
1916         \hangindent1.5pc
1917         \netaddrfont\thenetaddress{\number\count@}\endgraf
1918         \hangindent1.5pc
1919         \thePersonalURL{\number\count@}\endgraf
1920       }%
1921     \repeat
1922   \vskip\belowauthorskip}%
1923 \if@abstract
1924   \centerline{\bfseries Abstract}%
1925   \vskip.5\baselineskip\rmfamily
1926   \@tubonecolumnabstractstart
1927     \the\abstract@toks
1928   \@tubonecolumnabstractfinish
1929   \global\@ignoretrue
1930 \fi
1931 \vskip\belowabstractskip
1932 \global\@afterindentfalse\aftergroup\@afterheading
1933 }

```

`abstract` Save the contents of the abstract environment in the token register `\abstract@toks`.
`\if@abstract` We need to do this, as otherwise it may get ‘typeset’ (previously, it got put in a
`\abstract@toks` box) before `\begin{document}`, and experiments prove that this means our shiny new `\SMC` doesn’t work in this situation.

If you need to understand the ins and outs of this code, look at the place I lifted it from: `tabularx.dtx` (in the tools bundle). The whole thing pivots on having stored the name of the ‘abstract’ environment in `\@abstract@`

```

1934 \newtoks\abstract@toks \abstract@toks{}
1935 \let\if@abstract\iffalse
1936 \def\abstract{%

```

we now warn unsuspecting users who provide an `abstract` environment *after* the `\maketitle` that would typeset it...

```

1937 \ifTB@madetitle
1938   \TBWarning{abstract environment after \string\maketitle}
1939 \fi

```

```

1940 \def\@abstract@{abstract}%
1941 \ifx\@currenenvir\@abstract@
1942 \else
1943 \TError{\string\abstract\space is illegal:%
1944 \MessageBreak
1945 use \string\begin{\@abstract@} instead}%
1946 {\@abstract@\space may only be used as an environment}
1947 \fi
1948 \global\let\if@abstract\iftrue
1949 {\ifnum0='}\fi
1950 \@abstract@getbody}
1951 \let\endabstract\relax

\@abstract@getbody gets chunks of the body (up to the next occurrence of
\end) and appends them to \abstract@toks. It then uses \@abstract@findend
to detect whether this \end is followed by {abstract}

1952 \long\def\@abstract@getbody#1\end{%
1953 \global\abstract@toks\expandafter{\the\abstract@toks#1}%
1954 \@abstract@findend}

Here we've got to \end in the body of the abstract. \@abstract@findend
takes the 'argument' of the \end do its argument.

1955 \def\@abstract@findend#1{%
1956 \def\@tempa{#1}%

If we've found an 'end' to match the 'begin' that we started with, we're done
with gathering the abstract up; otherwise we stuff the end itself into the token
register and carry on.

1957 \ifx\@tempa\@abstract@
1958 \expandafter\@abstract@end
1959 \else

It's not \end{abstract}—check that it's not \end{document} either (which
signifies that the author's forgotten about ending the abstract)

1960 \def\@tempb{document}%
1961 \ifx\@tempa\@tempb
1962 \TError{\string\begin{\@abstract@}
1963 ended by \string\end{\@tempb}}%
1964 {You've forgotten \string\end{\@abstract@}}
1965 \else
1966 \global\abstract@toks\expandafter{\the\abstract@toks\end{#1}}%
1967 \expandafter\expandafter\expandafter\@abstract@getbody
1968 \fi
1969 \fi}

In our case, the action at the 'proper' \end is a lot simpler than what appears
in tabularx.dtx ... don't be surprised!

1970 \def\@abstract@end{\ifnum0='{ \fi}%
1971 \expandafter\end\expandafter{\@abstract@}}

```



```

\makesignature \makesignature is improper in proceedings, so we replace it with a warning (and
                a no-op otherwise)
1972 \renewcommand{\makesignature}{\TBWarning
1973         {\string\makesignature\space is invalid in proceedings issues}}

\ps@TBproctitle Now we define the running heads in terms of the \rh* commands.
\ps@TBproc 1974 \def\ps@TBproctitle{\let\@oddhead\MakeRegistrationMarks
\dopagecommands 1975 \let\@evenhead\MakeRegistrationMarks
\setpagecommands 1976 \TB@definefeet
\TB@definefeet 1977 }
\pfoottext 1978 \def\ps@TBproc{%
\rfoottext 1979 \def\@oddhead{\MakeRegistrationMarks
1980     {%
1981         \hfil
1982         \def\{\unskip\ \ignorespaces}%
1983         \rmfamily\rhTitle
1984     }%
1985 }%
1986 \def\@evenhead{\MakeRegistrationMarks
1987     {%
1988         \def\{\unskip\ \ignorespaces}%
1989         \rmfamily\rhAuthor
1990         \hfil
1991     }%
1992 }%
1993 \TB@definefeet
1994 }
1995
1996 \advance\footskip8\p@    % for deeper running feet
1997
1998 \def\dopagecommands{\csname @@pagecommands\number\c@page\endcsname}
1999 \def\setpagecommands#1#2{\expandafter\def\csname @@pagecommands#1\endcsname
2000     {#2}}
2001 \def\TB@definefeet{%
2002     \def\@oddfoot{\ifpreprint\pfoottext\hfil\Now\hfil\thepage
2003         \else\rfoottext\hfil\thepage\fi\dopagecommands}%
2004     \def\@evenfoot{\ifpreprint\thepage\hfil\Now\hfil\pfoottext
2005         \else\thepage\hfil\rfoottext\fi\dopagecommands}%
2006 }
2007
2008 \def\pfoottext{{\smc Preprint}:
2009     Proceedings of the \volyr{ } Annual Meeting}
2010 \def\rfoottext{\normalfont\TUB, \volx\Dash
2011     {Proceedings of the \volyr{ } Annual Meeting}}
2012
2013 \pagestyle{TBproc}

```

4.2 Section divisions

Neither sections nor subsections are numbered by default in the proceedings style: note that this puts a degree of stress on authors' natural tendency to reference sections, which is a matter that needs attention. The class option `NUMBERSEC` once again numbers the sections (and noticeably changes the layout).

```
2014 \if@proc@numbersec
2015 \else
2016 \setcounter{secnumdepth}{0}
2017 \fi
```

Otherwise, the `\section` command is pretty straightforward. However, the `\subsection` and `\subsubsection` are run-in, and we have to remember to have negative stretch (and shrink if we should in future choose to have one) on the `\afterskip` parameter of `\@startsection`, since the whole skip is going to end up getting negated. We use `\TB@startsection` to detect inappropriate forms.

```
2018 \if@proc@numbersec
2019 \else
2020 \if@proc@sober
2021 \def\section
2022     {\TB@nolimelabel
2023      \TB@startsection{section}%
2024                      1%
2025                      \z@%
2026                      {-8\p@\@plus-2\p@\@minus-2\p@}%
2027                      {6\p@}%
2028                      {\normalsize\bfseries\raggedright}}
2029 \else
2030 \def\section
2031     {\TB@nolimelabel
2032      \TB@startsection{section}%
2033                      1%
2034                      \z@%
2035                      {-8\p@\@plus-2\p@\@minus-2\p@}%
2036                      {6\p@}%
2037                      {\large\bfseries\raggedright}}
2038 \fi
2039 \def\subsection
2040     {\TB@nolimelabel
2041      \TB@startsection{subsection}%
2042                      2%
2043                      \z@%
2044                      {6\p@\@plus 2\p@\@minus2\p@}%
2045                      {-5\p@\@plus -\fontdimen3\the\font}%
2046                      {\normalsize\bfseries}}
2047 \def\subsubsection
2048     {\TB@nolimelabel
2049      \TB@startsection{subsubsection}%
2050                      3%
```

```
2051 \parindent%
2052 \z@%
2053 {-5\p@\@plus -\fontdimen3\the\font}%
2054 {\normalsize\bfseries}}
2055 \fi
2056 </ltugproccls>
```

5 Plain T_EX styles

```
2057 <*tugboatsty>
2058 % err...
2059 </tugboatsty>
2060 <*tugprocsty>
2061 % err...
2062 </tugprocsty>
```

6 The L^AT_EX 2_ε compatibility-mode style files

```
2063 <*tugboatsty>
2064 \@obsoletedefile{ltugboat.cls}{ltugboat.sty}
2065 \LoadClass{ltugboat}
2066 </ltugboatsty>
2067 <*tugprocsty>
2068 \@obsoletedefile{ltugproc.cls}{ltugproc.sty}
2069 \LoadClass{ltugproc}
2070 </ltugprocsty>
```